

Suggested List Price Standard Equipment and Accessories



**ENGINEERED
FOR EASE**



Effective: April 1, 2021

TABLE OF CONTENTS

Cube Ice Machines 3-9
 Standard Remotes and Top Air Discharge 10
 QuietQube® Remotes & Ice Beverage 11-12
 Specialty: Prison and Marine 13
 Flake Ice Machines 14-15
 Nugget Ice Machines 16-17
 Dispensers 18
 Ice Storage Bins 19-20
 International Only 21
 Bin Adapters & Deflector Kits 22-23
 Accessories 24-26

NOTATIONS

Shipping weights are approximate.

TERMS

Terms

Terms are as Company may extend to purchaser.


Terms for Parts

C.O.D. (Deviation on authorization of Credit Department only.)

Prices

Prices are Ex-works Covington Tennessee. All prices and specifications are subject to change without notice.

DIMENSION DRAWINGS



Height includes legs set at 6"/15.2 cm.
 Legs adjust from 6"/15.2cm to 7.5"/19.1 cm

COMMERCIAL WARRANTY

Warranty - Cube Ice Machine

- 5-year parts-and-labor coverage on Indigo, S, U, QQ and IB-model ice machine evaporators.
- 5-year parts and 3-year labor coverage on Indigo, S, U, QQ and IB-model ice machine compressor.
- 3-year parts-and-labor coverage on all dispensers, storage bins, and Indigo, S, U, QQ and IB-model ice cube machines.

Warranty - UE Series Ice Machine

- 3-year parts-and-labor coverage on all components.

Warranty - SM and USP Series Ice Machines

- 3-year parts-and-labor coverage on all components.

Warranty - RF/RFF, RNS/RNF Ice Machines

- 3-year parts.
- 3-year labor.
- Compressor parts for 5 years and labor for 3 years.

Warranty - Countertop Nugget Dispenser Ice Machines (RNS12/20 and CNF201/202)

- 2-year parts-and-labor coverage on all components.
- Compressor parts for 5 years and labor for 2 years.

RESIDENTIAL WARRANTY

Warranty- Related Accessories

* If not stated, kits carry the same basic warranty as the machine they are used on.

Warranty - All Ice Machines

- 1-year parts-and-labor


ICE STYLES





- Dice Cube.....7/8" x 7/8" x 7/8" / 2.22 x 2.22 x 2.22 cm 100% ice to water ratio.
- Half Dice Cube.....3/8" x 1-1/8" x 7/8" / 0.95 x 2.86 x 2.22 cm 100% ice to water ratio.
- Regular Cube 1-1/8" x 1-1/8" x 7/8" / 2.86 x 2.86 x 2.22 cm 100% ice to water ratio.
- Gourmet Cube 1-3/8" x 1-3/8" / 3.49 x 3.49 cm octagon shape cube (SM-50 model). 100% ice to water ratio.
- Nugget Ice Countertop, Under-counter and Modular Ice Makers 3/8" to 1/2" / 0.76 x 0.76 x 1.27 cm pieces. 85% ice to water ratio.
- Flake Ice Flake ice is smaller bits of ice. 73% ice to water ratio.
- Square Cube 1"x1"x1" square shaped ice. 100% ice to water ratio.

ICE STORAGE CAPACITY

The calculation used to determine actual ice storage capacity varies among manufacturers, most use the AHRI standard. When the AHRI standard is not referenced, use cubic meters capacity for accurate comparison between manufacturer's models.

HOW TO READ THE NEW MODEL NUMBERS



	Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model	
SM-50	 W 14.75" D 22.75" H 33.5" W 37.5 D 57.8 H 85.1 cm *53lbs/24 kg daily at 70/50°F *44lbs/20 kg daily at 90/70°F	SMS050A002-161	gourmet	air	115v/60Hz/1	114 lbs / 52 kg	\$4,426	N/A
		Ice storage capacity 25 lbs/11.3 kg Includes AR-2800 water filter. Drain pump available as accessory (K00376). Includes 6' / 1.8m power cord with NEMA 5-15P plug. Not compatible with iAuCS®. IMPORTANT NOTE: Use only Metal Safe Cleaner 000000084 on this product. Other cleaners will damage the evaporator and will not be covered under warranty.						
UE65 / UE80	 W 19.69" D 22.34" H 36" W 50.0 D 56.7 H 91.4 cm UE-65: *57 lbs/26 kg daily at 70/50°F *46 lbs/21 kg daily at 90/70°F UE-80: *102 lbs/46 kg daily at 70/50°F *71 lbs/32 kg daily at 90/70°F	UDE0065A-161B	dice	air	115v/60Hz/1	109 lbs / 49 kg	\$4,136	QM30A-161
		UDE0080A-161B	dice	air	115v/60Hz/1	114 lbs / 52 kg	\$4,744	QM45A-161
		UDE0065A-251Z	dice	air	230v/50/Hz/1	109 lbs / 49 kg	\$4,196	QM30A-251
		UDP0080A-251Z	dice	air	230v/50Hz/1	114 lbs / 52 kg	\$4,804	QM45A-251
		Ice storage capacity 30lbs/14 kg. Storage capacity is AHRI certified, measured at 1.059 cu ft. Includes 6'/1.8 m power cord with NEMA 5-15P plug. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS or LuminIce II. Application storage capacity measured at 90% of total volume cu. ft x 33 lbs/ft3						
UF140 / UF190	 W 26" D 28.5" H 38.5" W 66 D 72.4 H 97.8 cm UF-140: *137lbs/62 kg daily at 70/50°F *100lbs/45 kg daily at 90/70°F UF-190: *198lbs/90 kg daily at 70/50°F *140lbs/64 kg daily at 90/70°F	URF0140A-161B	Regular	Air	115v/60Hz/1	153 lbs / 69 kg	\$4,856	UR0140A-161B
		UDF0140A-161B	Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$4,656	UD0140A-161B
		UYF0140A-161B	1/2 Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$4,656	UY0140A-161B
		UDF0190A-161B	Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$4,945	UD0190A-161B
		UYF0190A-161B	1/2 Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$4,945	UY0190A-161B
		UDP0140A-251Z	Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$4,716	UD0140A-251Z
		UYP0140A-251Z	1/2 Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$4,716	UY0140A-251Z
		UDF0190A-251Z	Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$5,005	UD0190A-251Z
		UYF0190A-251Z	1/2 Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$5,005	UY0190A-251Z
		Application storage capacity 90 lbs/ 40 kg. Includes 6 ft/1.8 m power cord with NEMA 5-15P plug ("B" Plug). Cubic Volume 3.037. Storage capacity is AHRI certified. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS. Luminice® II compatible as accessory. Application storage capacity measured 90% of total volume in cu. ft. x 33 lbs/ft3.						
UF240	 W 26" D 28.5" H 38.5" W 66 D 72.4 H 97.8 cm *219lbs/99 kg daily at 70/50°F *160lbs/73 kg daily at 90/70°F	UDF0240A-161B	Dice	Air	115v/60Hz/1	157 lbs / 72kg	\$5,230	UD0240A-161B
		UDF0240A-261Z	Dice	Air	208-230v/60hz/1	157 lbs / 72kg	\$5,305	UD0240A-261Z
		UDF0240W-161B	Dice	Water	115v/60Hz/1	160 lbs / 73 kg	\$5,492	UD0240W-161B
		UYF0240A-161B	1/2 Dice	Air	115v/60Hz/1	159 lbs / 72 kg	\$5,230	UY0240A-161B
		UYF0240A-261Z	1/2 Dice	Air	208-230v/60hz/1	159 lbs / 72 kg	\$5,305	UY0240A-261Z
		UYF0240W-161B	1/2 Dice	Water	115v/60Hz/1	159 lbs / 72 kg	\$5,492	UY0240W-161B
		UDP0240A-251Z	Dice	Air	230v/50hz/1	157 lbs / 72kg	\$5,290	UD0240A-251Z
		UYP0240A-251Z	1/2 Dice	Air	230v/50hz/1	159 lbs / 72 kg	\$5,290	UY0240A-251Z
		UYF0240W-251Z	1/2 Dice	Water	230v/50hz/1	159 lbs / 72 kg	\$5,552	UY0240W-251Z
		Application storage capacity 90 lbs/40 kg. Cubic Volume 3.037. Storage Capacity is AHRI certified. Includes 6 ft/1.8 m power cord with NEMA 5-15P plug ("B" Plug). Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS. Luminice II compatible as accessory. Application storage capacity measured 90% of total volume in cu. ft. x 33 lbs/ft3.						


★ ENERGY STAR® Qualified Model

Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

UNDERCOUNTER CUBE

UF310



W 30" D 28.5" H 38.5"
W 76.2 D 72.4 H 97.8 cm

*290lbs/132 kg daily at 70/50°F
*235 lbs/107 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
URF0310A-161B	Regular	Air	115v/60Hz/1	208 lbs / 94 kg	\$6,656	UR0310A-161B
UDF0310A-161B	Dice	Air	115v/60Hz/1	208 lbs / 94 kg	\$6,456	UD0310A-161B
UDF0310A-261Z	Dice	Air	208-230v/60hz/1	208 lbs / 94 kg	\$6,531	UD0310A-261Z
UDF0310W-161B	Dice	Water	115v/60Hz/1	211 lbs / 96 kg	\$6,779	UD0310W-161B
UYF0310A-161B	1/2 Dice	Air	115v/60Hz/1	209 lbs / 95 kg	\$6,456	UY0310A-161B
UYF0310W-161B	1/2 Dice	Water	115v/60Hz/1	211 lbs / 96 kg	\$6,779	UY0310W-161B
URF0310A-251Z	Regular	Air	230v/50hz/1	208 lbs / 94 kg	\$6,716	UR0310A-251Z
UDP0310A-251Z	Dice	Air	230v/50hz/1	208 lbs / 94 kg	\$6,516	UD0310A-251Z
UYP0310A-251Z	1/2 Dice	Air	230v/50hz/1	209 lbs / 95 kg	\$6,516	UY0310A-251Z

Application ice storage capacity 119 lbs/54 kg. Cubic Volume 3.99. Storage Capacity is AHRI Certified. Includes 6"/1.8 m power cord with NEMA 5-15P plug ("B" Plug). Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS. LuminIce® II compatible as accessory. Application storage capacity measured 90% of total volume in cu. ft. x 33 lbs/ft3.

SQUARE CUBE

USP0100A



W 19.68" D 22.83" H 37.5"


*100 lbs / 45.5 kgs at 70/50
*85 lbs / 38.5 kgs at 90/70

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
USP0100A-161	Square	Air	115v/60Hz/1	209 lbs / 49 kg	\$6,500	N/A

Application storage capacity 38 lbs/17.2 kgs. Measured cubic volume is 2. Storage Capacity is AHRI certified. Includes 6 ft / 1.8m power cord with NEMA 5-15 plug. Refer to Install Use and Care manual for proper cleaning instructions. Not compatible with iAuCS or LuminIce II.

MODULAR CUBE

iT300 Series



W 30" D 24.5" H 16.50"
W 76.2 D 62.2 H 41.9 cm

*310 lbs /141 kg daily at 70/50°F
*230 lbs /104 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDT0300A-161	dice	air	115v/60Hz/1	142 lbs/ 64kg	\$5,948★	IDF0300A-161
IDT0300A-161X	dice	air	115v/60Hz/1	147 lbs/ 67kg	\$6,639	IDF0300A-161X
IDT0300A-261	dice	air	208-230/60Hz/1	142 lbs/ 64kg	\$6,023★	IDF0300A-261
IDT0300W-161	dice	water	115v/60Hz/1	139 lbs/ 63kg	\$6,246	IDF0300W-161
IYT0300A-161	1/2 dice	air	115v/60Hz/1	147 lbs/ 67kg	\$5,948★	IYF0300A-161
IYT0300A-161X	1/2 dice	air	115v/60Hz/1	152 lbs/ 69kg	\$6,639	IYF0300A-161X
IYT0300A-261	1/2 dice	air	208-230/60Hz/1	147 lbs/ 67kg	\$6,023★	IYF0300A-261
IYT0300W-161	1/2 dice	water	115v/60Hz/1	144 lbs/ 65kg	\$6,246	IYF0300W-161
IYT0300W-161X	1/2 dice	water	115v/60Hz/1	149 lbs/ 68kg	\$6,936	IYF0300W-161X
IDT0300A-251	dice	air	230v/50Hz/1	142 lbs/ 64kg	\$6,008	IDF0300A-251
IYT0300A-251	1/2 dice	air	230/50Hz/1	147 lbs/ 67kg	\$6,008	IYF0300A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.



Recommended Bins: D400 (see page 19).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.


Not Stackable

★ ENERGY STAR® Qualified Model

Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

IT0420 Series



W 22" D 24.5" H 21.5"
W 55.9 D 62.2 H 54.6 cm

*460 lbs/209 kg daily at 70/50°F
*375 lbs/170 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDT0420A-161	Dice	Air	115v/60Hz/1	137 lbs / 62 kg	\$6,611★	ID0322A-161
IDT0420A-161X	Dice	Air	115v/60Hz/1	142 lbs / 64 kg	\$7,302	ID0322A-161X
IDT0420A-261	Dice	Air	208-230v/60hz/1	137 lbs / 62 kg	\$6,686★	ID0322A-261
IDT0420W-161	Dice	Water	115v/60Hz/1	131 lbs / 59 kg	\$6,942	ID0323W-161
IYT0420A-161	1/2 Dice	Air	115v/60Hz/1	136 lbs / 62 kg	\$6,611★	IY0324A-161
IYT0420A-161X	1/2 Dice	Air	115v/60Hz/1	141 lbs / 64 kg	\$7,302	IY0324A-161X
IYT0420W-161	1/2 Dice	Water	115v/60Hz/1	135 lbs / 61 kg	\$6,942	IY0325W-161
IYT0420W-261	1/2 Dice	Water	208-230v/60hz/1	135 lbs / 61 kg	\$7,017	IY0325W-261
IDT0420A-251	Dice	Air	230v/50hz/1	137 lbs / 62 kg	\$6,671	ID0322A-251
IYT0420A-251	1/2 Dice	Air	230v/50hz/1	136 lbs / 62 kg	\$6,671	IY0324A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D320 or D420 (see page 19).


See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



Not Stackable

IT0450 Series



W 30" D 24.5" H 21.5"
W 76.2 D 62.2 H 54.6 cm

*490 lbs/222 kgs daily at 70/50°F
*378lbs/171 kg daily at 90/70°F

IDT0450A-161	Dice	Air	115v/60Hz/1	160 lbs / 73 kg	\$6,412★	ID0452A-161
IDT0450A-161X	Dice	Air	115v/60Hz/1	165 lbs / 75 kg	\$7,103	ID0452A-161X
IDT0450A-261	Dice	Air	208-230v/60hz/1	160 lbs / 73 kg	\$6,487★	ID0452A-261
IDT0450W-161	Dice	Water	115v/60Hz/1	141 lbs / 64 kg	\$6,733	ID0453W-161
IDT0450W-161X	Dice	Water	115v/60Hz/1	146 lbs / 66 kg	\$7,424	ID0453W-161X
IDT0450W-261	Dice	Water	208-230v/60hz/1	141 lbs / 64 kg	\$6,808	ID0453W-261
IYT0450A-161	1/2 Dice	Air	115v/60Hz/1	170 lbs / 77 kg	\$6,412★	IY0454A-161
IYT0450A-161X	1/2 Dice	Air	115v/60Hz/1	175 lbs / 79 kg	\$7,103	IY0454A-161X
IYT0450A-261	1/2 Dice	Air	208-230v/60hz/1	170 lbs / 77 kg	\$6,487★	IY0454A-261
IYT0450W-161	1/2 Dice	Water	115v/60Hz/1	155 lbs / 70 kg	\$6,733	IY0455W-161
IYT0450W-161X	1/2 Dice	Water	115v/60Hz/1	160 lbs / 73 kg	\$7,424	IY0455W-161X
IDT0450A-251	Dice	Air	230v/50hz/1	160 lbs / 73 kg	\$6,472	ID0452A-251
IDT0450W-251	Dice	Water	230v/50hz/1	141 lbs / 64 kg	\$6,793	ID0453W-251
IYT0450A-251	1/2 Dice	Air	230v/50hz/1	170 lbs / 77 kg	\$6,472	IY0454A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D400 or D570 (see page 19).


See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



Not Stackable

IT0500 Series



W 30" D 24.5" H 21.5"
W 76.2 D 62.2 H 54.6 cm

*550 lbs/249 kg daily at 70/50°F
*440 lbs/200 kg daily at 90/70°F

IRT0500A-161	Regular	Air	115v/60Hz/1	162 lbs / 73 kg	\$7,371★	IR0500A-161
IRT0500A-261	Regular	Air	208-230v/60hz/1	162 lbs / 73 kg	\$7,446★	IR0500A-261
IRT0500W-161	Regular	Water	115v/60Hz/1	158 lbs / 72 kg	\$7,727	IR0501W-161
IDT0500A-161	Dice	Air	115v/60Hz/1	157 lbs / 72kg	\$7,121★	ID0502A-161
IDT0500A-161X	Dice	Air	115v/60Hz/1	162 lbs / 73 kg	\$7,812	ID0502A-161X
IDT0500A-261	Dice	Air	208-230v/60hz/1	157 lbs / 72kg	\$7,196★	ID0502A-261
IDT0500W-161	Dice	Water	115v/60Hz/1	163 lbs / 74 kg	\$7,477	ID0503W-161
IDF0500N-161A	Dice	Remote	115v/60Hz/1	164 lbs / 74 kg	\$6,956	IDT0500N-161
IDF0500N-161AX	Dice	Remote	115v/60Hz/1	169 lbs / 77 kg	\$7,647	IDT0500N-161X
IYT0500A-161	1/2 Dice	Air	115v/60Hz/1	159 lbs / 72 kg	\$7,121★	IY0504A-161
IYT0500A-161X	1/2 Dice	Air	115v/60Hz/1	164 lbs / 74 kg	\$7,812	IY0504A-161X
IYT0500A-261	1/2 Dice	Air	208-230v/60hz/1	159 lbs / 72 kg	\$7,196★	IY0504A-261
IYT0500W-161	1/2 Dice	Water	115v/60Hz/1	161 lbs / 73 kg	\$7,477	IY0505W-161
IYF0500N-161A	1/2 Dice	Remote	115v/60Hz/1	161 lbs / 73 kg	\$6,956	IYT0500N-161
IYF0500N-161AX	1/2 Dice	Remote	115v/60Hz/1	166 lbs / 75 kg	\$7,647	IYT0500N-161X
IRT0500A-251	Regular	Air	230v/50hz/1	162 lbs / 73 kg	\$7,431	IR0500A-251
IDT0500A-251	Dice	Air	230v/50hz/1	157 lbs / 72kg	\$7,181	ID0502A-251
IYT0500A-251	1/2 Dice	Air	230v/50hz/1	159 lbs / 72 kg	\$7,181	IY0504A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D400, D570 or F700 (see page 19).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JCF500 remote condenser and RT() R404A tubing kit (see page 10).


Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



Not Stackable

MODULAR CUBE

iT0620 Series



W 22" D 24.5" H 21.5"
W 55.9 D 62.2 H 54.6 cm

*575 lbs/262 kg daily at 70/50 °F
*465 lbs / 211 kg daily at 90/70 °F



Not Stackable

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IRT0620A-161	Regular	Air	115v/60Hz/1	143 lbs / 65 kg	\$7,245★	IR0520A-161
IDT0620A-161	Dice	Air	115v/60Hz/1	143 lbs / 65 kg	\$6,995★	ID0522A-161
IDT0620A-161X	Dice	Air	115v/60Hz/1	148 lbs / 67 kg	\$7,686	ID0522A-161X
IDT0620A-261	Dice	Air	208-230v/60Hz/1	143 lbs / 65 kg	\$7,070★	ID0522A-261
IDT0620W-161	Dice	Water	115v/60Hz/1	140 lbs / 63 kg	\$7,344	ID0523W-161
IYT0620A-161	1/2 Dice	Air	115v/60Hz/1	145 lbs / 66 kg	\$6,995★	IY0524A-161
IYT0620A-161X	1/2 Dice	Air	115v/60Hz/1	150 lbs / 68 kg	\$7,686	IY0524A-161X
IYT0620A-261	1/2 Dice	Air	208-230v/60Hz/1	145 lbs / 66 kg	\$7,070★	IY0524A-261
IYT0620W-161	1/2 Dice	Water	115v/60Hz/1	140 lbs / 63 kg	\$7,344	IY0525W-161
IYT0620W-261	1/2 Dice	Water	208-230v/60Hz/1	140 lbs / 63 kg	\$7,419	IY0525W-261
IRT0620A-251	Regular	Air	230v/50Hz/1	143 lbs / 65 kg	\$7,305	IR0520A-251
IRT0620W-251	Regular	Water	230v/50Hz/1	140 lbs / 63 kg	\$7,667	IR0521W-251
IDT0620A-251	Dice	Air	230v/50Hz/1	143 lbs / 65 kg	\$7,055	ID0522A-251
IDT0620W-251	Dice	Water	230v/50Hz/1	140 lbs / 63 kg	\$7,404	ID0523W-251
IYT0620A-251	1/2 Dice	Air	230v/50Hz/1	145 lbs / 66 kg	\$7,055	IY0524A-251
IYT0620W-251	1/2 Dice	Water	230v/50Hz/1	140 lbs / 63 kg	\$7,479	IY0525W-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D320 or D420 (see page 19).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

IDF0600N-261A	dice	remote	208-230v/60Hz/1	214 lbs / 97 kg	\$7,913	IDF0600N-261
IYF0600N-261A	1/2 dice	remote	208-230v/60Hz/1	221 lbs / 100 kg	\$7,913	IYF0600N-261
IYF0600N-261AX	1/2 dice	remote	208-230v/60Hz/1	226 lbs / 103 kg	\$8,604	IYF0600N-261X

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.


Recommended Bins: D570 or F700 (see page 19).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JCF0900 remote condenser and RT()R-404A tubing kit (see page 10).

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc

F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



W 30" D 24.5" H 21.5"
W 76.2 D 62.2 H 54.6 cm


*665 lbs/302 kg daily at 70/50 °F
*580 lbs/263 kg daily at 90/70 °F



Not Stackable

iF0600 Series

iT0750 Series



W 30" D 24.5" H 21.5"
W 76.2 D 62.2 H 54.6 cm

*715 lbs / 324 kg daily at 70/50 °F
*575 lbs / 261 kg daily at 90/70 °F

Not Stackable

IDT0750A-261	Dice	Air	208-230v/60Hz/1	194 lbs / 88 kg	\$8,391★	IDF0600A-261
IDT0750W-261	Dice	Water	208-230v/60Hz/1	194 lbs / 88 kg	\$8,811	IDF0600W-261
IYT0750A-261	1/2 Dice	Air	208-230v/60Hz/1	208 lbs / 94 kg	\$8,391★	IYF0600A-261
IYT0750A-261X	1/2 Dice	Air	208-230v/60Hz/1	213 lbs / 97 kg	\$9,082	IYF0600A-261X
IYT0750W-261	1/2 Dice	Water	208-230v/60Hz/1	195 lbs / 88 kg	\$8,811	IYF0600W-261
IDT0750A-251	Dice	Air	230v/50Hz/1	194 lbs / 88 kg	\$8,451	IDF0600A-251
IDT0750A-251X	Dice	Air	230v/50Hz/1	198 lbs / 90 kg	\$9,142	IDF0600A-251X
IYT0750A-251	1/2 Dice	Air	230v/50Hz/1	208 lbs / 94 kg	\$8,451	IYF0600A-251
IYT0750A-251X	1/2 Dice	Air	230v/50Hz/1	213 lbs / 97 kg	\$9,142	IYF0600A-251X
IYT0750W-251	1/2 Dice	Water	230v/50Hz/1	195 lbs / 88 kg	\$8,874	IYF0600W-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D570, D970 or F1350 (See page 19).


See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

★ ENERGY STAR® Qualified Model

Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.



W 30" D 24.5" H 26.5"
W 76.2 D 62.2 H 67.3 cm

*830 lbs/376 kg daily at 70/50°F
*740 lbs/336 kg daily at 90/70°F



Not Stackable

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IYF0900A-263A	1/2 dice	Air	208-230v/60Hz/3	219 lbs / 99 kg	\$10,728	IYF0900A-263
IDF0900N-261A	dice	remote	208-230v/60Hz/1	221 lbs / 100 kg	\$10,160	IDF0900N-261
IYF0900N-261A	1/2 dice	remote	208-230v/60Hz/1	218 lbs / 99 kg	\$10,160	IYF0900N-261
IYF0900N-263A	1/2 dice	remote	208-230v/60Hz/3	218 lbs / 99 kg	\$10,460	IYF0900N-263
IDF0900N-251A	dice	remote	230v/50/Hz/1	221 lbs / 100 kg	\$10,385	IDF0900N-251
IYF0900N-251A	1/2 dice	remote	230v/50/Hz/1	218 lbs / 99 kg	\$10,385	IYF0900N-251


If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D570, D970 or F1350 (See page 19).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JCF0900 remote condenser and RT(J)R-404A tubing kit (see page 10).

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



W 30" D 24.5" H 26.5"
W 76.2 D 62.2 H 67.3 cm

*865 lbs /392 kg daily at 70/50°F
*750 lbs /340 kg daily at 90/70°F



Not Stackable

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IRT0900A-261	Regular	Air	208-230v/60hz/1	213 lbs / 97 kg	\$10,720	IRF0900A-261
IRT0900W-261	Regular	Water	208-230v/60hz/1	232 lbs / 105 kg	\$11,256	IRF0900W-261
IDT0900A-261	Dice	Air	208-230v/60hz/1	214 lbs / 97 kg	\$10,420★	IDF0900A-261
IDT0900A-261X	Dice	Air	208-230v/60hz/1	219 lbs / 99 kg	\$11,111	IDF0900A-261X
IDT0900W-261	Dice	Water	208-230v/60hz/1	212 lbs / 96 kg	\$10,941	IDF0900W-261
IYT0900A-261	1/2 Dice	Air	208-230v/60hz/1	218 lbs / 99 kg	\$10,420★	IYF0900A-261
IYT0900A-261X	1/2 Dice	Air	208-230v/60hz/1	223 lbs / 101 kg	\$11,111	IYF0900A-261X
IYT0900W-261	1/2 Dice	Water	208-230v/60hz/1	218 lbs / 99 kg	\$10,941	IYF0900W-261
IRT0900A-251	Regular	Air	230v/50hz/1	213 lbs / 97 kg	\$10,945	IRF0900A-251
IRT0900W-251	Regular	Water	230v/50hz/1	212 lbs / 96 kg	\$11,492	IRF0900W-251
IDT0900A-251	Dice	Air	230v/50hz/1	214 lbs / 97 kg	\$10,645	IDF0900A-251
IYT0900A-251	1/2 Dice	Air	230v/50hz/1	218 lbs / 99 kg	\$10,645	IYF0900A-251


If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D570, D970 or F1350 (See page 19).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

IT1200 Series



W 30" D 24.5" H 29.5"
W 76.2 D 62.2 H 74.9 cm

*1213 lbs /550 kg daily at 70/50°F
*950 lbs /431 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDT1200A-261	Dice	Air	208-230v/60hz/1	232 lbs / 105 kg	\$12,080	ID1106A-261
IDT1200W-261	Dice	Water	208-230v/60hz/1	228 lbs / 103 kg	\$12,684	ID1106W-261
IDT1200N-261A	Dice	Remote	208-230v/60hz/1	228 lbs / 103 kg	\$11,925	IDT1200N-261
IYT1200A-261	1/2 Dice	Air	208-230v/60hz/1	241 lbs / 109 kg	\$12,080	IY1106A-261
IYT1200A-261X	1/2 Dice	Air	208-230v/60hz/1	246 lbs / 112 kg	\$12,771	IY1106A-261X
IYT1200A-263A	1/2 Dice	Air	208-230v/60hz/3	241 lbs / 109 kg	\$12,380	IYT1200A-263
IYT1200W-261	1/2 Dice	Water	208-230v/60hz/1	238 lbs / 108 kg	\$12,684	IY1106W-261
IYT1200W-263A	1/2 Dice	Water	208-230v/60hz/3	238 lbs / 108 kg	\$12,984	IYT1200W-263
IYT1200N-261A	1/2 Dice	Remote	208-230v/60hz/1	236 lbs / 107 kg	\$11,925	IYT1200N-261
IYT1200N-263A	1/2 Dice	Remote	208-230v/60hz/3	236 lbs / 107 kg	\$12,225	IY1196N3-263
IDT1200A-251	Dice	Air	230v/50hz/1	232 lbs / 105 kg	\$12,305	ID1106A-251
IDT1200W-251	Dice	Water	230v/50hz/1	228 lbs / 103 kg	\$12,909	ID1106W-251
IDT1200N-251A	Dice	Remote	230v/50hz/1	228 lbs / 103 kg	\$12,150	IDT1200N-251
IYT1200A-251	1/2 Dice	Air	230v/50hz/1	241 lbs / 109 kg	\$12,305	IY1106A-251
IYT1200W-251	1/2 Dice	Water	230v/50hz/1	238 lbs / 108 kg	\$12,909	IY1106W-251
IYT1200N-251A	1/2 Dice	Remote	230v/50hz/1	236 lbs / 107 kg	\$12,150	IYT1200N-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D570, F1300, F1325, F1650 or FC1350 (See page 19).


See pages 22-23 for required adapters, deflectors, and

dispenser baffles. ¹Use JCT1200 remote condenser and RT()R-410A tubing kit (see page 10). Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



Not Stackable

IT1500 Series



W 48" D24.5" H29.5"
W 121.9 D 62.2 H 74.9 cm

*1660 lbs / 753 kg at 70/50°F
*1412 lbs / 640 kg at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDT1500A-261A	Dice	Air	208-230v/60hz/1	292 lbs / 132 kg	\$13,750	IDT1500A-261
IDT1500A-263E	Dice	Air	208-230v/60hz/3	292 lbs / 132 kg	\$14,100	IDT1500A-263
IDT1500W-261A	Dice	Water	208-230v/60hz/1	298 lbs / 135 kg	\$14,437	IDT1500W-261
IDT1500W-263E	Dice	Water	208-230v/60hz/3	298 lbs / 135 kg	\$14,787	IDT1500W-263
IDT1500N-261E	Dice	Remote	208-230v/60hz/1	293 lbs / 133 kg	\$13,579★	IDT1500N-261A
IYT1500A-261A	1/2 Dice	Air	208-230v/60hz/1	292 lbs / 132 kg	\$13,750	IYT1500A-261
IYT1500A-261AX	1/2 Dice	Air	208-230v/60hz/1	297 lbs / 135 kg	\$14,441	IYT1500A-261X
IYT1500A-263E	1/2 Dice	Air	208-230v/60hz/3	292 lbs / 132 kg	\$14,100	IYT1500A-263
IYT1500W-261A	1/2 Dice	Water	208-230v/60hz/1	294 lbs / 133 kg	\$14,437	IYT1500W-261
IYT1500W-263E	1/2 Dice	Water	208-230v/60hz/3	294 lbs / 133 kg	\$14,787	IYT1500W-263
IYT1500N-261E	1/2 Dice	Remote	208-230v/60hz/1	298 lbs / 135 kg	\$13,579★	IYT1500N-261A
IYT1500N-261EX	1/2 Dice	Remote	208-230v/60hz/1	303 lbs / 137 kg	\$14,270	IYT1500N-261X
IYT1500N-263E	1/2 Dice	Remote	208-230v/60hz/3	298 lbs / 135 kg	\$13,929★	IYT1500N-263
IDT1500A-251A	Dice	Air	230v/50hz/1	292 lbs / 132 kg	\$13,975	IDT1500A-251
IDT1500W-251A	Dice	Water	230v/50hz/1	292 lbs / 132 kg	\$14,662	IDT1500W-251
IDT1500N-251E	Dice	Remote	230v/50hz/1	293 lbs / 133 kg	\$13,804	IDT1500N-251
IYT1500A-251A	1/2 Dice	Air	230v/50hz/1	292 lbs / 132 kg	\$13,975	IYT1500A-251
IYT1500W-251A	1/2 Dice	Water	230v/50hz/1	294 lbs / 133 kg	\$14,662	IYT1500W-251
IYT1500N-251E	1/2 Dice	Remote	230v/50hz/1	298 lbs / 135 kg	\$13,804	IYT1500N-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D970, F1300, F1325, F1650, FC1350 (See page 19).

See pages 22-23 for required adapters and deflectors.

¹Use JCT1500 remote condenser and RL()R-410A tubing kit (see page 10). Kit K0034900 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.




Not Stackable

★ ENERGY STAR® Qualified Model

Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

IT1900 Series



W 48" D 24.5" H 29.5"
W 121.9 D 62.2 H 74.9 cm

*1965 lbs / 891 kg at 70/50°F
*1535 lbs / 696 kg at 90/70°F



Not Stackable

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IRT1900A-261E	Regular	Air	208-230v/60hz/1	317 lbs / 144 kg	\$17,247	IRT1900A-261
IRT1900A-263E	Regular	Air	208-230v/60hz/3	317 lbs / 144 kg	\$17,597	IRT1900A-263
IRT1900N-261E	Regular	Remote	208-230v/60hz/1	324 lbs / 147 kg	\$17,092	IRT1900N-261A
IRT1900N-263E	Regular	Remote	208-230v/60hz/3	324 lbs / 147 kg	\$17,442	IRT1900N-263
IRT1900N-263EX	Regular	Remote	208-230v/60hz/3	324 lbs / 147 kg	\$18,133	IRT1900N-263X
IDT1900A-261E	Dice	Air	208-230v/60hz/1	317 lbs / 144 kg	\$16,947	IDT1900A-261
IDT1900A-263E	Dice	Air	208-230v/60hz/3	317 lbs / 144 kg	\$17,297	IDT1900A-263
IDT1900W-261E	Dice	Water	208-230v/60hz/1	319 lbs / 145 kg	\$17,795	IDT1900W-261A
IDT1900W-263E	Dice	Water	208-230v/60hz/3	319 lbs / 145 kg	\$18,145	IDT1900W-263
IDT1900N-261E	Dice	Remote	208-230v/60hz/1	324 lbs / 147 kg	\$16,792	IDT1900N-261A
IDT1900N-263E	Dice	Remote	208-230v/60hz/3	324 lbs / 147 kg	\$17,142	IDT1900N-263
IYT1900A-261E	1/2 Dice	Air	208-230v/60hz/1	321 lbs / 146 kg	\$16,947	IYT1900A-261
IYT1900A-263E	1/2 Dice	Air	208-230v/60hz/3	321 lbs / 146 kg	\$17,297	IYT1900A-263
IYT1900W-261E	1/2 Dice	Water	208-230v/60hz/1	322 lbs / 146 kg	\$17,795	IYT1900W-261A
IYT1900W-263E	1/2 Dice	Water	208-230v/60hz/3	322 lbs / 146 kg	\$18,145	IYT1900W-263
IYT1900N-261E	1/2 Dice	Remote	208-230v/60hz/1	330 lbs / 150 kg	\$16,792	IYT1900N-261A
IYT1900N-261EX	1/2 Dice	Remote	208-230v/60hz/1	335 lbs / 152 kg	\$17,483	IYT1900N-261X
IYT1900N-263E	1/2 Dice	Remote	208-230v/60hz/3	330 lbs / 150 kg	\$17,142	IYT1900N-263
IYT1900N-263EX	1/2 Dice	Remote	208-230v/60hz/3	335 lbs / 152 kg	\$17,833	IYT1900N-263X
IRT1900A-251E	Regular	Air	230v/50hz/1	317 lbs / 144 kg	\$17,472	IRT1900A-251
IDT1900A-251E	Dice	Air	230v/50hz/1	317 lbs / 144 kg	\$17,172	IDT1900A-251
IDT1900N-251E	Dice	Remote	230v/50hz/1	324 lbs / 147 kg	\$17,017	IDT1900N-251
IYT1900A-251E	1/2 Dice	Air	230v/50hz/1	321 lbs / 146 kg	\$17,172	IYT1900A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.


Recommended Bins: D970, F1300, F1325, F1650, FC1350 (See page 19).

See pages 22-23 for required adapters and deflectors.

¹Use JCT1500remote condenser and RL()R-410A tubing kit (see page 10). Kit K0034900 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

S-3000 Series



W 48" D 31" H 36"
W 121.9 D 78.7 H 91.4 cm

*3200 lbs / 1451 kg daily at 70/50°F
*2584 lbs / 1172 kg daily at 90/70°F



Not Stackable

Recommended Bins: F1300, F1325, F1650, FC1350 (See page 19). See pages 22-23 for required adapters and deflectors.

Not for use with iAuCS cleaning system or LuminIce II.

Kit K00391 ice deflector must be ordered separately if used with:

non-Manitowoc bins, Manitowoc 48"/121.9 cm & 60"/152.4 cm F-Style bins.

H = High pressure valve regulates from 20 psi to 350 psi or 137.9 kPa to 2413.2 kPa.


Model	Ice type	Cooling	Electrical	Shipping Weight	Base Model	Replaces Model
SDT3000W-263H	Dice	Water	208-230v/60hz/3	501 lbs / 227 kg	\$30,241	SD3303W3-263HP
SYT3000W-263H	1/2 Dice	Water	208-230v/60hz/3	516 lbs / 234 kg	\$30,241	SY3305W3-263HP

★ ENERGY STAR® Qualified Model

Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

STANDARD REMOTE AIR-COOLED CONDENSER



Model	For use with Remote Ice Machine	Electrical	Shipping Weight	Suggested List Price	Replaces Model
JCF0500-161	iF0500N	115v/60hz/1	64 lbs / 29 kg	\$1,956	JC0495-161
JCF0500-161Q	iF0500N	115v/60hz/1	65 lbs / 29 kg	\$2,256	JC0495-161Q
JCF0900-261	iF0600N & iF900N	208-230v/60hz/1	78 lbs / 35 kg	\$2,185	JC 0895 and 0995-261
JCF0900-261Q	iF0600N & iF900N	208-230v/60hz/1	79 lbs / 36 kg	\$2,485	JC0995-261Q
JCT1200-261	iT1200N	208-230v/60hz/1	78 lbs / 35 kg	\$2,338	JC0995-261
JCT1500-261	iT1500N and iT1900N	208-230v/60hz/1	80 lbs / 36 kg	\$2,233	JC1395-261
JCT1500-261Q	iT1500N and iT1900N	208-230v/60hz/1	81 lbs / 37 kg	\$2,533	JC1395-261Q
JCF0900-251	iF0600N and iF900N	230v/50hz/1	78 lbs / 35 kg	\$2,410	JC0895 and 0995-251
JCT1200-251	iT1200N	230v/50hz/1	78 lbs / 35 kg	\$2,563	JC0995-251
JCT1500-251	iT1500N and iT1900N	230v/50hz/1	80 lbs / 36 kg	\$2,458	JC1395-251

NOTE: Models with Q suffix are available with coated coils that provide extra corrosion protection in salt spray environments. Coated Coil models require longer lead time, please contact the factory.

STANDARD REMOTE TUBING KITS & ACCESSORIES



Kit	For use with Series	Tubing Length	Shipping Weight	Suggested List Price
RT20R404	iF0500, iF600 and iF900 Precharged with quick connects	20ft / 6.1m	10 lbs / 5 kg	\$477
RT35R404	iF0500, iF600 and iF900 Precharged with quick connects	35 ft / 10.7m	15 lbs / 7 kg	\$587
RT50R404	iF0500, iF600 and iF900 Precharged with quick connects	50 ft / 15.2m	22 lbs / 10 kg	\$707
RT20R410A	iT500 and iT1200 Precharged with quick connects	20 ft / 6.1m	10 lbs / 5 kg	\$490
RT35R410A	iT500 and iT1200 Precharged with quick connects	35 ft / 10.7m	15 lbs / 7 kg	\$605
RT50R410A	iT500 and iT1200 Precharged with quick connects	50 ft / 15.2m	22 lbs / 10 kg	\$727
RL20R410A	iT1500 and iT1900 Precharged with quick connects	20 ft / 6.1m	10 lbs / 5 kg	\$490
RL35R410A	iT1500 and iT1900 Precharged with quick connects	35 ft / 10.7m	15 lbs / 7 kg	\$605
RL50R410A	iT1500 and iT1900 Precharged with quick connects	50 ft / 15.2m	22 lbs / 10 kg	\$727

ACCESSORY

K00129	Remote Coupling Kit needed for non-Manitowoc Tubing	2 lbs / 1 kg	\$166
--------	---	--------------	--------------


NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an S or Indigo remote model requires a **NEW** condenser and line set. Use of a new multi-circuited condenser is approved when sized and installed as outlined in Manitowoc Product Information. Rack system applications are not approved.

TOP AIR DISCHARGE KIT


Kit	For use with Series	Shipping Weight	Suggested List Price
K00379	Indigo NXT iT0450, iT0500, iF0600, iT0750	18 lbs / 9 kg	\$528
K00438	Indigo NXT iT0420 and iT0620 models	17 lbs / 8 kg	\$528
K00439	Indigo NXT iF0900	17 lbs / 8 kg	\$528
K00449	Indigo NXT iT1200	18 lbs / 9 kg	\$528
K00481B	Indigo NXT iT1500 and iT1900 models	29 lbs / 13 kg	\$528

NOTE: Top air discharge kits are used when there is not sufficient clearance on the sides of an air cooled machine. These kits change the side panels and top panel so the air intake is from the back of the machine and the exhaust is re-routed out of the top of the machine rather than the sides.


**QuietQube®
Ice Machines**



iF0600C
W 30" D 24.5" H 21.5"
W 76.2 D 62.2 H 54.6 cm
iF0900C
W 30" D 24.5" H 26.5"
W 76.2 D 62.2 H 67.3 cm
iT1200C
W 30" D 24.5" W 29.5"
W 76.2 D 62.2 H 74.9 cm




iF1400C
W 30" D 24.5" H 25"
W 76.2 D 62.2 H 63.5 cm
iF1800C
W 30" D 24.5" H 29.5"
W 76.2 D 62.2 H 74.9 cm



SF3000C
W 48" D 31" H 36"
W 121.9 D 78.7 H 91.4 cm

**Ice/Bev
Ice Machines**



IBF0620
W 22" D 14" H 24"
W 55.9 D 35.6 H 61.0 cm
IBF0820
W 22" D 14" H 26.5"
W 55.9 D 35.6 H 67.3 cm
IBT1020C
W 22" D 14" H 30.5"
W 55.9 D 35.6 H 77.5 cm


Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDT1200C-161	Dice	Remote	115v/60Hz/1	171 lbs / 78 kg	\$11,087	ID1176C-161
IDF1400C-161	Dice	Remote	115v/60Hz/1	174 lbs / 79 kg	\$12,040	ID1472C-161
IDF1800C-161	Dice	Remote	115v/60Hz/1	210 lbs / 95 kg	\$15,241	ID1872C-161
SDF3000C-161	Dice	Remote	115v/60Hz/1	423 lbs / 192 kg	\$27,903	SD3072C-161
IYF0600C-161	1/2 Dice	Remote	115v/60Hz/1	146 lbs / 66 kg	\$7,909★	IY0686C-161
IYF0900C-161	1/2 Dice	Remote	115v/60Hz/1	161 lbs / 73 kg	\$9,748★	IY0976C-161
IYF0900C-161X	1/2 Dice	Remote	115v/60Hz/1	166 lbs / 75 kg	\$10,439	IY0976C-161X
IYT1200C-161	1/2 Dice	Remote	115v/60Hz/1	174 lbs / 79 kg	\$11,087	IY1176C-161
IYF1400C-161	1/2 Dice	Remote	115v/60Hz/1	179 lbs / 81 kg	\$12,040	IY1474C-161
IYF1400C-161X	1/2 Dice	Remote	115v/60Hz/1	184 lbs / 83 kg	\$12,731	IY1474C-161X
IYF1800C-161	1/2 Dice	Remote	115v/60Hz/1	210 lbs / 95 kg	\$15,241	IY1874C-161
IYF1800C-161X	1/2 Dice	Remote	115v/60Hz/1	215 lbs / 98 kg	\$15,932	IY1874C-161X
SYF3000C-161	1/2 Dice	Remote	115v/60Hz/1	423 lbs / 192 kg	\$27,903	SY3074C-161
IBF0620C-161	1/2 Dice	Remote	115v/60Hz/1	122 lbs / 55 kg	\$8,745	IB0696YC-161
IBF0820C-161	1/2 Dice	Remote	115v/60Hz/1	130 lbs / 59 kg	\$10,431★	IB0894YC-161
IBT1020C-161	1/2 Dice	Remote	115v/60Hz/1	148 lbs / 67 kg	\$11,348	IB1094YC-161
IYF0600C-251	1/2 Dice	Remote	230v/50hz/1	146 lbs / 66 kg	\$7,969	IY0686C-251
IYF1800C-251	1/2 Dice	Remote	230v/50hz/1	210 lbs / 95 kg	\$15,466	IY1874C-251
IBT1020C-251	1/2 Dice	Remote	230v/50hz/1	148 lbs / 67 kg	\$11,573	IBF0820C-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

QUIETQUBE ICE MACHINES


Model	70/50°F	90/70°F	Model	70/50°F	90/70°F
IDT1200C	1,140 lbs / 519 kg	975 lbs / 442 kg	IYF1400C	1,425 lbs / 646 kg	1,230 lbs / 558 kg
IDF1400C	1,350 lbs / 612 kg	1,120 lbs / 508 kg	IYF1800C	1,660 lbs / 753 kg	1,440 lbs / 653 kg
IDF1800C	1,660 lbs / 573 kg	1,375 lbs / 624 kg	SYF3000C	2,910 lbs / 1,320 kg	2,400 lbs / 1,089 kg
SDF3000C	2,850 lbs / 1,293 kg	2,233 lbs / 1,013 kg	IBF0620C	675 lbs / 306 kg	564 lbs / 256 kg
IYF0600C	600 lbs / 272 kg	530 lbs / 240 kg	IBF0820C	825 lbs / 374 kg	728 lbs / 330 kg
IYF0900C	816 lbs / 370 kg	675 lbs / 306 kg	IBT1020C	1,206 lbs / 547 kg	1,030 lbs / 467 kg
IYT1200C	1,215 lbs / 551 kg	1,000 lbs / 454 kg			

Ice deflector K00383 required for two iF1400C, iF1800C units side by side. Single iF1400C, iF1800C, iF0600C, iF0900C, iT1200C require ice deflector K00347 for F-Style or non-Manitowoc bins. SF3000C requires ice deflector K00391 for F-Style or non-Manitowoc bins.




NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an Indigo remote model requires a NEW condenser and line set. Only Manitowoc CVD condensing units are approved with QQ and IB Series machines.

¹Appropriate adapter is required with ice dispensers or storage bin. For Quiet Qube machines other than IB machines, an optional K00477 bin dispenser thermostat kit maybe required for high humidity locations to reduce equipment sweating. IB ice machines come equipped from the factory with a built in bin dispenser thermostat.



CVDF0600, CDVF0900, CVDT1200, CVDF1400, CVDF1800, RCU1000, RCUF1200, RCUF2200
W 34" D 24.13" H 25.75"
W 86.4 D 61.3 H 65.4cm
***RJC1275**
W 45.5" D 16.5" H 31"
W 115.6 D 42 H 78.5 cm



**CVDF2100
CVDF3000**
W 53" D 26" H 25.75"
W 134.6 D 66 H 65.4 cm
***RJC2375**
W 51.4 D 18.5" H 45.7"
W 130.6 D 47 H 116 cm


Model	Cooling	Use With	Electrical	Shipping Weight	Suggested List Price	Replaces Model
CVDF0600-261A	Air	iF0600C, ibF0620C	208-230v/60hz/1	178 lbs / 81 kg	\$3,355	CVDF0600-261
CVDF0600-263A	Air	iF0600C, ibF0620C	208-230v/60hz/3	178 lbs / 81 kg	\$3,655	CDF0600-263
CVDF0900-261A	Air	iF0900C, ibF0820C	208-230v/60hz/1	183 lbs / 83 kg	\$3,700	CVDF0900-261
CVDF0900-263A	Air	iF0900C, ibF0820C	208-230v/60hz/3	183 lbs / 83 kg	\$4,000	CVDF0900-263
CVDT1200-261A	Air	iT1200C, ibT1020C	208-230v/60hz/1	208 lbs / 94 kg	\$4,115	CVDT1200-261
CVDT1200-263A	Air	iT1200C, ibT1020C	208-230v/60hz/3	208 lbs / 94 kg	\$4,415	CVDT1200-261
CVDT1200-263AQ	Air	iT1200C, ibT1020C	208-230v/60hz/3	208 lbs / 94 kg	\$4,715	CVDT1200-263Q
CVDF1400-261A	Air	iF1400C	208-230v/60hz/1	190 lbs / 86 kg	\$4,622	CVDF1400-261
CVDF1400-261AQ	Air	iF1400C	208-230v/60hz/1	190 lbs / 86 kg	\$4,922	CVDF1400-261Q
CVDF1400-263A	Air	iF1400C	208-230v/60hz/3	190 lbs / 86 kg	\$4,922	CVDF1400-263
CVDF1800-261A	Air	iF1800C	208-230v/60hz/1	195 lbs / 88 kg	\$5,300	CVDF1800-261
CVDF1800-263A	Air	iF1800C	208-230v/60hz/3	195 lbs / 88 kg	\$5,650	CVDF1800-263
CVDF3000-263	Air	sF3000C	208-230v/60hz/3	268 lbs / 122 kg	\$9,405	CVD30853-263
RCUF1200-261	Air	RFF1220C	208-230v/60hz/1	201 lbs / 91 kg	\$3,898	RCUF1200-261
RCUF1000-261A*	Air	RNF1020C	208-230v/60hz/1	201 lbs / 91 kg	\$3,823	RCUF1000-261
RCUF2200-263	Air	RFF2200C, RNF2000C	208-230v/60hz/3	249 lbs / 113 kg	\$4,834	RCU23753-263
CVDF0600-251A	Air	iF0600C	230v/50hz/1	178 lbs / 81 kg	\$3,415	CVDF0600-251
CVDT1200-251A	Air	iBT1200C	230v/50hz/1	208lbs / 94 kg	\$4,340	n/a
CVDF1800-251A	Air	iF1800C	230v/50hz/1	195 lbs / 88 kg	\$5,525	ICVD1895-251
RJC1275-453	Air	RFS1278C	380-415/50hz/3	315 lbs / 143 kg	\$7,327	n/a
RJC2375-453	Air	RFS2378C	380-415/50hz/3	315 lbs / 143 kg	\$10,307	n/a

NOTE: Models with "Q" suffix are available with coated coils that provide extra corrosion protection in salt spray environments

QUIETQUBE® & IB REMOTE TUBING KITS & ACCESSORIES

Kit	Indigo NXT, Flake Nugget Remote Tubing kits	Shipping Weight	Suggested List Price
RC21	20'/6.1m tubing length for CVDF0600, CDVF0900 CVDT1200, RCUF and RJC condensing units . Not Precharged	12lbs/5kg	\$330
RC31	30'/9.1m tubing length for CVDF0600, CDVF0900 CVDT1200, RCUF and RJC condensing units . Not Precharged	17lbs/8kg	\$475
RC51	50'/15.2m tubing length for CVDF0600, CDVF0900 CVDT1200, RCUF and RJC condensing units . Not Precharged	27lbs/12kg	\$803
RC20	20'/6.1m tubing length for CDVF-1400 and 1800 . Not Precharged	14lbs/6kg	\$366
RC30	30'/9.1m tubing length for CDVF-1400 and 1800 . Not Precharged	20 lbs / 9 kg	\$546
RC50	50'/15.2m tubing length for CDVF-1400 and 1800 . Not Precharged	31 lbs / 14kg	\$863
RC23	20'/6.1m tubing length for CVDF-2100 . Not Precharged	17 lbs/8kg	\$471
RC33	30'/9.1m tubing length for CVDF-2100 . Not Precharged	25lbs/11 kg	\$816
RC53	50'/15.2m tubing length for CVDF-2100 . Not Precharged	39 lbs/ 18kg	\$1,325
K00166	"S" Trap kit for CVDF1400,1800,2100 and CDVF3000 condensing units with line set rise over 20'/6.1m		\$89
K00172	S-Trap kit for Indigo Series CVDF0600 and 0900 and CVDT1200 condensing units with lines set rise over 20'/6.1m		\$89
Kit	SF3000C Tubing Kits		
RC24	20'/6.1 m Tubing length for CVDF3000	37 lbs / 17kg	\$691
RC34	30'/9.1 m Tubing length for CVDF3000	47 lbs / 21kg	\$1,007
RC54	50'/15.2 m Tubing length for CVDF3000	73 lbs / 33 kg	\$1,629
*IB ADAPTER FOR CORNELIUS DISPENSER: Ordered and shipped from Manitowoc Ice			
K00340	For 22"/55.9 cm wide Enduro 150 for McDonald's ABS unit	27 lbs / 12 kg	\$1,149
K00341	24.5" / 62.2 cm Enduro 175 kit no longer available (use Cornelius 629007571)		
K00342	30"/76.2 cm Enduro 200/250	31 lbs / 14 kg	\$1,427
K00343	44"/111.8 cm Enduro 300	47 lbs / 21kg	\$1,703
IB ACCESSORY			
K00436	IBT1020C Back Enclosure Kit (for IB1094YC and IBT1020C only) Hides electrical and water lines for pleasing appearance.	12 lbs / 5kg	\$283

PRISON




Not Stackable

Note: For dimensions and performance see base model
Prison models require more lead time than normal, please contact the factory.
Luminice II is available as an after-market kit. Please see page 24.

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDT0450A-161P	Dice	Air	115v/60Hz/1	160 lbs / 73 kg	\$7,312	ID0452A-161P
IDT0450W-161P	Dice	Water	115v/60Hz/1	141 lbs / 64 kg	\$7,633	ID0453W-161P
IDT0620A-161P	Dice	Air	115v/60Hz/1	143 lbs / 65 kg	\$7,895	ID0522A-161P
IDT0620W-161P	Dice	Water	115v/60Hz/1	140 lbs / 63 kg	\$8,244	ID0523W-161P
IDT0750A-261P	Dice	Air	208-230v/60hz/1	194 lbs / 88 kg	\$9,291	IDF0600A-261P
IDT1200A-261P	Dice	Air	208-230v/60hz/1	232 lbs / 105 kg	\$12,980	ID1106A-261P
IDT1200W-261P	Dice	Water	208-230v/60hz/1	228 lbs / 103 kg	\$13,584	ID1106W-261P
IDT1500A-261AP	Dice	Air	208-230v/60hz/1	292 lbs /132 kg	\$14,650	IDT1500A-261P
IDT1500N-261EP	Dice	Remote	208-230v/60hz/1	293 lbs / 133 kg	\$14,479	IDT1500N-261P
IDT1900A-261EP	Dice	Air	208-230v/60hz/1	317 lbs / 144 kg	\$17,847	IDT1900A-261P
IDT1900N-261EP	Dice	Remote	208-230v/60hz/1	324 lbs / 147 kg	\$17,692	IDT1900N-261P
IDT1900N-263EP	Dice	Remote	208-230v/60hz/3	324 lbs / 147 kg	\$18,042	IDT1900N-263P

SPECIALTY MODELS


MARINE



Not Stackable

Note: For dimensions and performance see base model
Marine models require more lead time than normal, please check with the factory.
Luminice II is available as an after-market kit. Please see page 24.

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDT0750W-261M	Dice	Water	208-230v/60hz/1	194 lbs / 88 kg	\$11,065	IDF0600W-261M
IDT0900W-261M	Dice	Water	208-230v/60hz/1	212 lbs / 96 kg	\$13,656	IDF0900W-261M
IDT1900W-261EM	Dice	Water	208-230v/60hz/1	334 lbs / 151 kg	\$19,985	IDT1900W-261AM
IYT0900W-261M	1/2 Dice	Water	208-230v/60hz/1	218 lbs / 99 kg	\$13,656	IYF0900W-261M
IYT1900W-261EM	1/2 Dice	Water	208-230v/60hz/1	337 lbs / 153 kg	\$19,985	IYT1900W-261AM
IYT1900W-263EM	1/2 Dice	Water	208-230v/60hz/3	337 lbs / 153 kg	\$20,335	IYT1900W-263M



Not Stackable

Note: For dimensions and performance see base model
Marine models require more lead time than normal, please check with the factory.

IDT0900W-261V	Dice	Water	208-230v/60hz/1	212 lbs / 96 kg	\$14,270	IDF0900W-261V
IYT0900W-261V	1/2 Dice	Water	208-230v/60hz/1	218 lbs / 99 kg	\$14,270	IYF0900W-261V
IDT1900W-261EV	dice	Water	208-230v/60hz/1	334 lb /151kg	\$20,584	IDT1900W-261V
IYT1900W-261EV	1/2 dice	Water	208-230v/60hz/1	337 lb /153kg	\$20,584	IYT1900W-261V

UFF0200



UFF0200A

W 19.7" D 26" H 37.5"
 W 50.0 D 66.0 H 95.3 cm
 *257 lbs / 117 kg daily at 70/50°F
 *198 lbs / 90 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
UFF0200A-161	Flake	Air	115v/60hz/1	168 lbs / 76 kg	\$8,421★	RF0266A-161
UFF0200AZ-251	Flake	Air	230v/50hz/1	168 lbs / 76 kg	\$8,481	RF0266AZ-251

Application Storage Capacity: 50 lbs/ 23kg. Cubic volume 1.7. Storage capacity is AHRI certified.
 Application storage capacity measured 90% of total volume in cu. ft x 22 lbs/ft3
 Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.
 Use cleaner (000000084) only with this model.
 Not compatible with iAuCS® or LuminIce II.
 Price list performance rating is 60hz data.
 50 Hz Electric Connection: Add Z for Bare Lead cord.

UFF0350




UFF0350A

W 29" D 27" H 39.5"
 W 73.8 D 69.0 H 100.4 cm
 *350 lbs / 159 kg daily at 70/50°F
 273 lbs / 125 kg daily at 90/70°F

UFF0350A-161	Flake	Air	115v/60Hz/1	224 lbs / 102 kg	\$8,597	RF0385A-161
UFF0350AZ-251	Flake	Air	230v/50hz/1	224 lbs / 102 kg	\$8,657	RF0385AZ-251

Application Ice Storage Capacity: 60 lbs/27 kg. Measured cubic volume 2.04 Storage Capacity is AHRI certified
 Application storage capacity measured 90% of total volume in cu. ft x 22 lbs/ft3
 Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.
 Use cleaner (000000084) only with this model.
 Not compatible with iAuCS or LuminIce II.
 Price list performance rating is 60hz data.
 50 Hz Electric Connection: Add Z for Bare Lead cord.

RFF0320



W 22" D 23.6" H 26"
 W 55.9 D 59.9 H 66.0 cm

*370 lbs / 168 kg daily at 70/50°F
 *287 lbs / 130 kg daily at 90/70°F


Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
RFF0320A-161	Flake	Air	115v/60hz/1	174 lbs / 79 kg	\$7,485	RFS0300A-161
RFF0320AZ-251	Flake	Air	230v/50hz/1	174 lbs / 79 kg	\$7,545	RFS0300AZ-251



Recommended Bins: D320 or D420 (See page 19).
 See pages 22-23 for required adapters.

Use cleaner (000000084) only with this model.
 Price list performance rating is 60hz data.
 Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. **Not Stackable**
 50 Hz Electric Connection: Add Z for Bare Lead cord.

RFF0620



W 22" D 23.6" H 26"
 W 55.9 D 59.9 H 66.0 cm

*730 lbs / 331 kg daily at 70/50°F
 *530 lbs / 240 kg daily at 90/70°F

RFF0620A-161	Flake	Air	115v/60Hz/1	230 lbs / 104 kg	\$9,288	RFS0650A-161
RFF0620W-161	Flake	Water	115v/60Hz/1	230 lbs / 104 kg	\$9,753	RFS0650W-161
RFF0620AZ-251	Flake	Air	230v/50hz/1	230 lbs / 104 kg	\$9,348	RFS0650AZ-251
RFF0620WZ-251	Flake	Water	230v/50hz/1	230 lbs / 104 kg	\$9,813	RFS0650WZ-251




Recommended Bins: D320 or D420 (see page 19).
 See pages 22-23 for required adapters.

Use cleaner (000000084) only with this model.
 Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. **Not Stackable**
 50 Hz Electric Connection: Add Z for Bare Lead cord.

★ **ENERGY STAR® Qualified Model**

*Daily ice production based on air-cooled condenser model at air temperature/water temperature.

RFF1300



W 30" D 23.6" H 27.4"
 W 76.2 D 59.9 H 70.0 cm
 *1264 lbs / 573 kg daily at 70/50F
 *951 lbs / 431 kg daily at 90/70F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
RFF1300A-261	Flake	Air	208-230v/60hz/1	263 lbs / 119 kg	\$13,713	RFS1200A-261
RFF1300W-261	Flake	Water	208-230v/60hz/1	263 lbs / 119 kg	\$14,399	RFS1200W-261
RFK01300AZ-251	Flake	Air	230v/50hz/1	263 lbs / 119 kg	\$13,938	RFS1200AZ-251
RFK01300WZ-251	Flake	Water	230v/50hz/1	263 lbs / 119 kg	\$14,624	RFS1200WZ-251



Recommended Bins: D570, D970


See pages 22-23 for required adapters.

Use cleaner (000000084) only with this model.

Price list performance rating is 60hz data.

Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce® II **Not Stackable**
 50 Hz Electric Connection: Add Z for Bare Lead cord.

RFF1220 / RFS1278



W 22" D 23.6" H 26"
 W 55.9 D 59.9 H 66.0 cm
 *1092 lbs / 495 kg daily at 70/50°F
 *958 lbs / 435 kg daily at 90/70°F

RFF1220C-261	Flake	Remote	208-230v/60hz/1	186 lbs / 84 kg	\$11,857	RFS1278C-261
RFS1278C-251	Flake	Remote	230v/50hz/1	186 lbs / 84 kg	\$12,082	n/a

**Requires RCUF1200 (60hz) or RJC 1275 (50hz) remote condensing unit and RC51 tubing kit. (see page 12)



Recommended Bins: D420, D970.


See pages 22-23 for required adapters.

Use cleaner (000000084) only with this model.

Price list performance rating is 60hz data.

Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. **Not Stackable**

RFF2200C / RF2378C



W 30" D 23.6" H 27.4"
 W 76.2 D 59.9 H 70.0 cm
 * 2063 lbs / 936 kg daily at 70/50°F
 1702 lbs / 772 kg daily at 90/70°F

RFF2200C-261	Flake	Remote	208-230v/60hz/1	279 lbs / 127 kg	\$20,057	RFS2378C-261
RFS2378C-251	Flake	Remote	230v/50hz/1	279 lbs / 127 kg	\$20,282	n/a

**Requires RCUF2200 (60hz) or RJC2375 (50hz) remote condensing unit and RC51 tubing kit. (see page 12)



Recommended Bins: D970, F1300, F1325, F1650, FC1350

See pages 22-23 for required adapters.

Use cleaner (000000084) only with this model.

Price list performance rating is 60hz data.



Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. **Not Stackable**

★ **ENERGY STAR® Qualified Model**

*Daily ice production based on air-cooled condenser model at air temperature/water temperature.

COUNTERTOP NUGGET

CNF0201/202



W 16.25" D 24" H 35"
W 41.3 D 61 H 106.7 cm
*315lbs/143 kg daily at 70/50°F
*222lbs/101 kg daily at 90/70°F

W 16.25" D 24" H 42"
W 41.3 D 61 H 106.7 cm
*315lbs/143 kg daily at 70/50°F
*222lbs/101 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
CNF0201A-161L	Nugget	Air	115v/60Hz/1	184 lbs / 127 kg	\$9,119	RNS12A-161
CNF0201A-161	Nugget	Air	115v/60Hz/1	184 lbs / 127 kg	\$9,419	RNS12AT-161
CNF0201A-161N	Nugget	Air	115v/60Hz/1	184 lbs / 127 kg	\$9,419	
CNF0202A-161L	Nugget	Air	115v/60Hz/1	198 lbs / 90 kg	\$11,023	RNS20A-161
CNF0202A-161	Nugget	Air	115v/60Hz/1	198 lbs / 90 kg	\$11,323	RNS20AT-161
CNF0202A-161N	Nugget	Air	115v/60Hz/1	198 lbs / 90 kg	\$11,323	
CNF0201A-251L	Nugget	Air	230v/50hz/1	184 lbs / 127 kg	\$9,179	RNS12A-251
CNF0201A-251	Nugget	Air	230v/50hz/1	184 lbs / 127 kg	\$9,479	RNS12AT-251
CNF0202A-251L	Nugget	Air	230v/50hz/1	198 lbs / 90 kg	\$11,083	RNS20A-251
CNF0202A-251	Nugget	Air	230v/50hz/1	198 lbs / 90 kg	\$11,383	RNS20AT-251

Note Dispensing Type: "-161L" is lever activated and "-161" is sensor activated. 3 dispensing options: ice, water, and ice/water together. Bin capacity is 10lbs/4.5 kg for CNF0201 and 20lbs/9 kg for CNF0202. Legs sold separately, see kit K00345001 below. **Use cleaner (000000084) only with this model.** Not compatible with iAuCS. Price list performance rating is 60hz data. -161N is a solid front panel option. Push buttons are covered to make machine completely touchless.




W 22.2" D 29.2" H 36"
W 56.4 D 74.2 H 76.2 cm

Kit	Description	Electrical	Shipping Weight	Suggested List Price
K00345001	Leg kit (Adjustable: 4.5" - 6.5" / 11.43-16.5 cm)	—	3 lbs./1.3 kg	\$141
K00377	Kit to convert from lever activated to touchless sensing dispensing option	115/60/1	3 lbs./1.3 kg	\$473
K00453	CNF Stand	—	100 lbs./45.4 kg	\$1,096

K00453 has been rated to accommodate weight of 850 lbs. Can be used with the S-150 (without the legs) with either the iT0420 or iT620 Indigo NXT ice machine

UNDERCOUNTER NUGGET

UNF0200




UNF0200 W 19.69" D 25.98" H 33.17"
W 50 D 66 H 84.3 cm
*213 lbs / 97 kg daily at 70/50°F
*164 lbs / 74 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
UNF0200A-161	Nugget	Air	115v/60Hz/1	157 lbs / 72kg	\$7,746★	RNS0244A-161
UNK0200AZ-251	Nugget	Air	230v/50hz/1	157 lbs / 72kg	\$7,806	RNS0244AZ-251

Application ice storage capacity: 30 lbs / 14kg. Measured cubic volume 1.03. Storage capacity is AHRI certified. *Application storage capacity measured 90% of total volume in cu. ft x 22 lbs/ft³*
Includes 6'/1.8 m power cord with NEMA 5-15P plug.
Use cleaner (000000084) only with this model. Not compatible with iAuCS, LuminIce II, or casters.
Price list performance rating is 60hz data. 50 Hz Electric Connection:
Add Z for Bare Lead cord.





UNF0300



UNF0300 W 29.06" D 27.17" H 39.52"
W 73.8 D 69 H 100.4 cm
*330 lbs / 150 kg daily at 70/50°
*275 lbs / 125 kg daily at 90/70°


UNF0300A-161	Nugget	Air	115v/60Hz/1	224 lbs / 102 kg	\$8,901	RNS0385A-161
UNK0300AZ-251	Nugget	Air	230v/50hz/1	224 lbs / 102 kg	\$8,961	RNS0385AZ-251

Application storage capacity: 60 lbs / 27kg. Measured cubic volume 2.04. Storage capacity is AHRI certified. *Application storage capacity measured 90% of total volume in cu. ft x 22 lbs/ft³*
Includes 6'/1.8 m power cord with NEMA 5-15P plug.
Use cleaner (000000084) only with this model.
Not compatible with iAuCS, LuminIce II, or casters.
Price list performance rating is 60hz data.
50 Hz Electric Connection: Add Z for Bare Lead cord.

	Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model	
RNF0320		RNF0320A-161	Nugget	Air	115v/60Hz/1	174 lbs / 79 kg	\$7,525	RNS0308A-161
		RNF0320AZ-251	Nugget	Air	230v/50hz/1	174 lbs / 79 kg	\$7,585	RNS0308AZ-251
	<p>Recommended Bins: D320 or D420 (see page 19) See page 22-23 for required adapters.</p> <p>Not Stackable. Use cleaner (000000084) only with this model. All dispenser manufacturers require a nugget ice adapter kit and ice level management kit. Contact beverage dispenser manufacturer or use kit K00488 ice level management kit.</p> <p>Not for use with SPA/SFA dispensers, iAuCS, or LuminIce II. 50 Hz Electric Connection: Add Z for Bare Lead cord.</p>							
	<p>W 22" D 23.6" H 26" W 55.9 D 60 H 66 cm *308lbs/140 kg daily at 70/50°F *236lbs/107 kg daily at 90/70°F</p>							
RNF620		RNF620A-161	Nugget	Air	115v/60Hz/1	210 lbs / 95 kg	\$9,277	RNS0608A-161
		RNF620W-161	Nugget	Water	115v/60Hz/1	210 lbs / 95 kg	\$9,741	RNS0609W-161
		RNF620AZ-251	Nugget	Air	230v/50hz/1	210 lbs / 95 kg	\$9,337	RNS0608A-251
		RNF620WZ-251	Nugget	Water	230v/50hz/1	210 lbs / 95 kg	\$9,801	RNS0609W-251
	<p>Recommended Bins: D420 or D570 (see page 19) D-570 will require an adapter, see pages 22-23</p> <p>Not Stackable. Use cleaner (000000084) only with this model. All dispenser manufacturers require a nugget ice adapter kit and ice level management kit. Contact beverage dispenser manufacturer or use kit K00488 ice level management kit.</p> <p>Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. 50 Hz Electric Connection: Add Z for Bare Lead cord.</p>							
	<p>W 22" D 23.6" H 26" W 55.8 D 60 H 66 cm *591lbs/268 kg daily at 70/50°F *451lbs/204 kg daily at 90/70°F</p>							
RNF1100 / RNF1020		RNF1100A-261	Nugget	Air	208-230v/60hz/1	275 lbs / 125 kg	\$13,959	RNS1008A-261
		RNF1100W-261	Nugget	Water	208-230v/60hz/1	275 lbs / 125 kg	\$14,657	RNS1009W-261
		RNF1020C-161	Nugget	Remote	115v/60Hz/1	195 lbs / 88 kg	\$13,429	RNS1078C-161
		RNF1100AZ-251	Nugget	Remote	230v/50hz/1	275 lbs / 125 kg	\$14,184	RNS1008AZ-251
	<p>Recommended bins : D970, F700, F1300, F1325, F1650, FC1350 (see page 19) See page 22-23 for required adapters .</p> <p>**Requires RCUF1000 remote condensing unit and RC51 tubing kit.</p> <p>Not Stackable. Use cleaner (000000084) only with this model. All dispenser manufacturers require a nugget ice adapter kit and ice level management kit. Contact beverage dispenser manufacturer or use kit K00488 ice level management kit.</p> <p>Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. 50 Hz Electric Connection: Add Z for Bare Lead cord.</p>							
	<p>RNF1100 W 30" D 23.62" H 27.36" W 76.2 D 60 H 69.5 cm RNF1020C W 22" D 23.62" H 27.36" W 55.8 D 60 H 69.5 cm *1078 lbs / 489 kg daily at 70/50°F *825 lbs / 374 kg daily at 90/70°F</p>							
RNF2000C		RNF2000C-261	Nugget	Air	208-230v/60hz/1	279 lbs / 127 kg	\$19,240	
		<p>Recommended bins : D970, F700, F1300, F1325, F1650, FC1350 (see page 19) See page 22-23 for required adapters</p> <p>**Requires RCUF2200 remote condensing unit and RC51 tubing kit.</p> <p>Not Stackable. Use cleaner 000000084 only with this model All dispenser manufacturer require a nugget ice adapter kit and ice level management kit. Contact beverage dispenser manufacturer or use kit K00488 ice level management kit.</p> <p>Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II.</p>						
	<p>W 30" D 23.6" H 27.4" 1915 lbs / 868 kgs at 70/50 1475 lbs / 669 kgs at 90/70</p>							

*Daily ice production based on air-cooled condenser model at designated air temperature/water temperature.

SPA160 Series




ADA Compliant

W 22" D 31.19" H* 54"
W 55.9 D 78.7 H* 137.2 cm

Model	Ice type	Electrical	Shipping Weight	Suggested List Price	Replaces Model
SPA160-161	120 lbs / 54 kg of storage	115v/60Hz/1	165 lbs / 75 kg	\$6,445	NA
SPA162-161	120 lbs / 54 kg of storage	115v/60Hz/1	165 lbs / 75 kg	\$6,445	NA
SPA160-261	120 lbs / 54 kg of storage	208-230V/60Hz/1	165 lbs / 75 kg	\$6,520	NA
SPA162-261	120 lbs / 54 kg of storage	208-230V/60Hz/1	165 lbs / 75 kg	\$6,520	NA
SFA191-161	120 lbs / 54 kg of storage	115v/60Hz/1	168 lbs / 76 kg	\$7,374	NA
SFA192-161	120 lbs / 54 kg of storage	115v/60Hz/1	168 lbs / 76 kg	\$7,374	NA
SPA160-251	120 lbs / 54 kg of storage	230v/50Hz/1	165 lbs / 75 kg	\$6,505	NA
SPA162-251	120 lbs / 54 kg of storage	230v/50Hz/1	165 lbs / 75 kg	\$6,505	NA
SFA192-251	120 lbs / 54 kg of storage	230v/50Hz/1	165 lbs / 75 kg	\$7,434	NA

SPA160 and SFA191 has "Push for Ice" chute dispense mechanism. SPA162 and SFA192 has Touchless lever ice chute dispense mechanism. Height adjustable (6 to 7.5 in /15.2 to 19cm) stainless steel legs included. Accepts single 22 in / 55.9cm Dice or Half -Dice size ice machines no larger than IT0620 (order separately) Indigo NXT 22 in / 55.9 cm requires K0034800 baffle (included with dispenser). Dispenser requires separate electrical outlet from the ice machine. SFA models include water valve. To convert SPA 160 and SFA291 to Touchless lever, order kit K00497 (see page 22)

SPA310 Series



ADA Compliant

W 30" D 32" H* 60.5"
W 76.2 D 81.3 H* 153.7 cm

SPA310-161	180 lbs / 82 kg of storage	115v/60Hz/1	209 lbs / 95 kg	\$7,595	NA
SPA312-161	180 lbs / 82 kg of storage	115v/60Hz/1	209 lbs / 95 kg	\$7,595	NA
SFA291-161	180 lbs / 82 kg of storage	115v/60Hz/1	214 lbs/97 kg	\$8,345	NA
SFA292-161	180 lbs / 82 kg of storage	115v/60Hz/1	214 lbs/97 kg	\$8,345	NA
SPA310-251	180 lbs / 82 kg of storage	230v/50Hz/1	209 lbs / 95 kg	\$7,655	NA
SPA312-251	180 lbs / 82 kg of storage	230v/50Hz/1	209 lbs / 95 kg	\$7,655	NA
SFA291-251	180 lbs / 82 kg of storage	230v/50Hz/1	214 lbs/97 kg	\$8,405	NA
SFA292-251	180 lbs / 82 kg of storage	230v/50Hz/1	214 lbs/97 kg	\$8,405	NA

SPA310 and SFA291 has "Push for Ice" chute dispense mechanism. SPA312 and SFA292 has Touchless lever ice chute dispense mechanism. Height adjustable (6 to 7.5 in /15.2 to 19cm) stainless steel legs included. Accepts single 22 in / 55.9cm (K00472 adapter required) or 30 in /76.2 cm Dice or Half -Dice size ice machines no larger than IT0750 (order separately) Indigo NXT 30 in / 76.2 cm requires K00346 baffle (included with dispenser). Dispenser requires separate electrical outlet from the ice machine. SFA models includes water valve. To convert SPA 310 and SFA292 to Touchless lever, order kit K00497 (see page 22)

*Includes 6"/15.2 cm adjustable leg

Ice /Water Dispensers

	Model	Ice Dispense	Ice Storage	Water Valve	Electrical	Approx. Shipping weight	Suggested List Price
<p>S-150</p>	S150						
	2705519	Sanitary Lever	150 lbs./68kg	NO	115v/60/1	131 lbs. /59 kg	\$5,170
	2704811	Sanitary Lever	150 lbs./68kg	YES	115v/60/1	131 lbs. /59 kg	\$5,595
<p>S-200</p>	S200						
	2705138	Sanitary Lever	200 lbs./91kg	NO	115v/60/1	161 lbs. /73 kg	\$5,764
	2705515	Sanitary Lever	200 lbs./91kg	YES	115v/60/1	161 lbs. /73 kg	\$6,188
<p>(31.19" /79 x 40.88/103.8 x 30"/76.2)</p>	S250						
	2705514	Sanitary Lever	250 lbs./113 kg	NO	115v/60/1	198 lbs. /90 kg	\$6,745
	2705723	Sanitary Lever	250 lbs./113 kg	YES	115v/60/1	198 lbs. /90 kg	\$7,170

Ice/water Dispenser Accessories

Ice/water Dispenser Accessories

Ice Machine	S-150	S-200	S-250	Ice Machine	S-150	S-200	S-250
22" Manitowoc Cuber and Nugget	SL26-020000245	SL16-5031149	SL16-5031149	Side Splash Guards	5031157	5031157	5031157
	\$517.84	\$541.08	\$541.08		\$292.24	\$292.24	\$292.24
30" Manitowoc Cuber and Nugget	N/A.	SL36 02000134	SL36 02000131	Nugget Agitator	020001847	020001847	020001847
		\$302.55	\$302.55		\$309.28	\$309.28	\$309.28
22" Manitowoc IB Cuber	IB10-5013398	IB13-5013505	IB13-5013505	Nugget ice level management	K00488	K00488	K00488
	\$543.29	\$543.29	\$543.29		\$384.00	\$384.00	\$384.00

Note: For Table top Ice/Water dispensers, apply Multiplex multiplier, Not Manitowoc.


ICE STORAGE BINS

D-STYLE




D320

W 22" D 34" H 38"
W 55.9 D 86.4 H 96.5 cm



D400

W 30" D 34" H 38"
W 76.2 D 86.4 H 96.5 cm



D420

W 22" D 34" H 50"
W 55.9 D 86.4 H 127.0 cm



D570

W 30" D 34" H 50"
W 76.2 D 86.4 H 127.0 cm



D970

W 48" D 34" H 50"
W 121.9 D 86.4 H 127.0 cm

Model	Application Capacity	2018 AHRI Capacity Cu ft / Cu m	Shipping Weight	Suggested List Price	Replaces Model
D320	264 lbs / 119 kg	8.9 / .25	75 lbs / 34 kg	\$2,118	B320
D420	383 lbs / 173 kg	12.9 / .35	108 lbs / 49 kg	\$2,313	B420
D400	365 lbs / 165 kg	12.3 / .37	91 lbs / 41 kg	\$2,203	B400
D570	532 lbs / 241 kg	17.9 / .51	115 lbs / 52 kg	\$2,542	B570
D970	882 lbs / 400 kg	29.7 / .84	150 lbs / 68 kg	\$3,525	B970

One set of stainless steel legs included in bin price for D-Series bin.

Height includes bin legs set at 6 in / 15.2 cm. Legs adjust from 6 to 7.5 in / 15.2 to 19.7 cm. For bin adapters and ice deflectors, please see page 23



Application Capacity - measured 90% of the total volume in cu. ft x 33 lbs/ft³.
2018 AHRI Capacity is the total internal volume measured in cu. ft.

F-STYLE

Large Capacity




F700

W 30" D 31" H 58.5"
W 76.2 D 78.7† H 148.6 cm




F1300

W 48" D 31" H 63.5"
W 121.9 D 78.7† H 161.3 cm




F1325

W 60" D 31" H 54.5"
W 152.4 D 78.7† H 138.4 cm



F1650

W 60" D 31" H 63.5"
W 152.4 D 78.7† H 161.3 cm



FC1350

W 60" D 40" H 73.5"
W 152.4 D 101.6† H 186.7 cm

†Snout adds
8"/20.3 cm to
depth of ice bin.

Model	Application Capacity	2018 AHRI Capacity Cu ft / Cu m	Shipping Weight	Suggested List Price	Replaces Model
F700	639 lbs / 290 kg	21.5 cu.ft/.61 Cu.M	195 lbs / 88 kg	\$5,692	n/a
F1300	1194 lbs / 542 kg	40.2 cu.ft/1.14 Cu.M	292 lbs / 132 kg	\$7,099	n/a
F1325	1238 lbs / 562 kg	41.7 cu.ft/1.18 Cu.M	300 lbs / 136 kg	\$7,308	n/a
F1650	1494 lbs / 678 kg	50.3 cu.ft/1.42 Cu.M	327 lbs / 148 kg	\$7,961	n/a
FC1350	1304 lbs / 591 kg	43.9 cu.ft/1.24 Cu.M	700 lbs / 318 kg	\$20,585	n/a

One set of stainless steel legs included in bin price.

Height includes bin legs set at 6 in / 15.2 cm. Legs adjust from 6 to 7.5 in or 15.2 to 19.1 cm.

For bin adapters and ice deflectors, please see page 22.

For use with Manitowoc ice machines only.

Model	Accessory	Shipping Weight	Suggested List Price
K00412**	46.5" / 118.1 cm paddle for 31" / 78.7 cm deep F bins	5 lbs / 2 kg	\$212
K00414**	Shovel	10 lb / 5 kg	\$212
K00416	Totes Carrier, Set of 6	34 lb / 15 kg	\$1,327
K00418	Replacement Cart	75 lb / 34 kg	\$3,315
K00419**	58.5" / 148.6 cm Paddle (for FC-1350 Bin)	6 lb / 3 kg	\$212



Application Capacity - measured 90% of the total volume in cu. ft x 33 lbs/ft³.
2018 AHRI Capacity is the total internal volume measured in cu. ft.

** Accessory Paddles and Shovels include storage

bracket. K00414 Shovel includes hook.

Note: Application or Max capacity for ice storage bins varies by manufacturer. For realistic measurement of how much ice a bin will hold without manual intervention, use the AHRI Storage capacity. When AHRI measurement is not referenced, compare cubic ft, or volume for an accurate comparison of size.



LB0730
W 30" x D 34" x 58"
W 76.2 x 86.4 D x 147.3 cm



LB1448
W 48" x D 34" x 67"
W 121.9 x 86.4 D x 170.2 cm



LB1460
W 60" x D 34" x 55"
W 76.2 x 86.4 D x 139.7 cm



LB1760
W 60" x D 34" x 67"
W 152.4 x 86.4 D x 170.2 cm



LBCS1360
W 60" x D 36" x 71"
W 152.4 x 91.4 D x 180.34 cm

Model	Application Capacity lbs (kg)	2018 AHRI Capacity Cu.ft (CM)	Shipping Weight lbs (kg)	Suggested List Price	Replaces
LB0730	683 (309.8)	23 (.65)	275 (124.7)	\$5,692	F-700
LB1448	1337 (606.5)	45 (1.27)	355 (161.0)	\$7,099	F1300
LB1460	1366 (619.6)	46 (1.30)	355 (161.0)	\$7,308	F1325
LB1760	1693 (619.6)	57 (1.61)	395 (179.2)	\$7,961	F1650
LBCS1360	772 (350.2)	26 (.74)	600 (272.2)	\$20,585	FC-1350
K00512	386 (175.1)	13 (.37)	175 (79.4)	\$3,442	

Door and snout ships inside the bin for easy door entry. Add 10.5 inches to the depth of the unit once installed. Guillotine on LBCS1360 can be removed for easy door entry. Adds 4.5 inches to the depth of the unit once installed. K00512 sleeve will add 12 inches of height to the LBCS1360 when installed.

Notes:

LB0730, LB1448, LB1460, and LB1760 height includes the bin legs set at 6 in/15.2 cm. Legs adjust from 6 to 7.13 in or 15.2 to 18 cm LB0730, LB1448, LB1460, and LB1760 includes- One set of stainless steel legs, ergonomic NSF ice scoop and a storage hook. LB0730- no additional adapter required for standard 22" and 30" ice machines. Filler panels for a 22" machine included with bin. Additional deflectors required. IB's require additional adapter LB1448, LB1460, & LB1760-no additional adapter required for standard - 22", or 30" or 48" ice machines. Filler panels for 22" and 30" machines included. Additional deflectors required. For IB's and two machines additional adapter and deflectors needed.

LB1448- when used with the SF3000 or ST300, requires filler panel K00386.

LBCS1360 includes- stainless flange legs, ergonomic NSF ice scoop, 2- storage hooks, 48" NSF paddle, 2- 207 lbs. NSF carts, 6 NSF ice totes (16 lbs capacity) with spacer for each cart LBCS1360- no additional adapter required for one standard -22, 30 or 48" ice machine. Filler panels included for 22" and 30" machines. Additional deflectors required. For IB', S3000 or 2 machines, additional adapter and deflectors needed.

K00512: 12" Sleeve- fits on top of the LBCS1360 for 386 lbs. of additional capacity. Adds 12" in height to bin. Sold separately See page 22 for adapters and deflectors. If using 2 machines on top, additional adapter and deflectors needed. Adapters and deflectors designed for Manitowoc ice machines only.

Model	Accessory Description	Shipping Weight	Suggested List Price
K00499	48" / 121.9 cm NSF paddle	5 lbs./ 2 kg	\$431
K00503	60" / 152.4 cm NSF paddle	6 lbs. / 3 kg	\$431
K00500	37" / 94 cm NSF shovel	10 lbs. / 5 kg	\$413
K00501	Repl. set of 6 NSF totes (16 lb ea)	34 lbs. / 15 kg	\$997
K00502	Rep. 250 lbs. NSF ice cart	75 lbs. / 34 kg	\$3,213
K00504	Replacement Storage hook	2 lbs./1kg	\$68

Notes:

K00502 - replacement cart does not include totes or spacer. Totes and spacer sold separately. Capacity without spacer and totes ~ 207 lbs. K00501 set of 6 totes, each hold 16 lbs. or 96 lbs total / cart.

LB and LBCS style bins available in Q2 2021.

**Application Capacity - measured 90% of the total volume in cu. ft x 33 lbs/ft3.
2018 AHRI Capacity is the total internal volume measured in cu. ft.**

Note: Application or Max capacity for ice storage bins varies by manufacturer. For realistic measurement of how much ice a bin will hold without manual intervention, use the AHRI. Storage capacity. When AHRI measurement is not referenced, compare cubic ft, or volume for an accurate comparison of size.






UG20
W45 D47.5 H65 cm
22 kg daily at 21/10°C
16.6 kg daily at 32/21°C
UG30
31 kg daily at 21/10°C
25.3 kg daily at 32/21°C

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
UGP0020A-251Z	gourmet	air	230v/50/Hz/1	45 kg / 99 lbs	\$2,468	UG020A-251
UGP0030A-251Z	gourmet	air	230v/50/Hz/1	45 kg / 99 lbs	\$2,548	UG030A-251
UGE0020A-261Z	gourmet	air	208-230v/60Hz/1	45 kg / 99 lbs	\$2,468	N/A
UGE0030A-161B	gourmet	air	115v/60Hz/1	45 kg / 99 lbs	\$2,548	N/A
UGE0030A-261Z	gourmet	air	208-230v/60Hz/1	45 kg / 99 lbs	\$2,548	N/A


Ice Storage Capacity 10 kg
50 Hz Electric Connection Options: Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug
60 Hz models offered in Z for Bare Lead. 60Hz 115v add B for grounded power cord. Price list performance rating is 50hz data. Refer to individual 60hz spec sheets for 60hz performance rating. Use cleaner (000006036) only with this model.
Not for use with iAuCS cleaning system. Optional Leg Kit K00345001
Contact your local distributor for pricing.



UG40
W55 D55 H80 cm
45 kg daily at 21/10°C
36 kg daily at 32/21°C
UG50
55.3 kg daily at 21/10°C
43 kg daily at 32/21°C

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
UGP0040A-251Z	gourmet	air	230v/50/Hz/1	59 kg / 130 lbs	\$3,065	UG040A-251
UGP0050A-251Z	gourmet	air	230v/50/Hz/1	60 kg / 132 lbs	\$3,180	UG050A-251
UGF0040A-261Z	gourmet	air	208-230v/60Hz/1	59 kg / 130 lbs	\$3,065	N/A
UGF0050A-161B	gourmet	air	115v/60Hz/1	60 kg / 132 lbs	\$3,180	N/A
UGF0050A-261Z	gourmet	air	208-230v/60Hz/1	60 kg / 132 lbs	\$3,180	N/A


Ice Storage Capacity 25 kg
50 Hz Electric Connection Options : Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug
60 Hz models offered in Z for Bare Lead. 60Hz 115v add B for grounded power cord. Price list performance rating is 50hz data. Refer to individual 60hz spec sheets for 60hz performance rating. Use cleaner (000006036) only with this model.
Not for use with iAuCS cleaning system. Optional Leg Kit K00345001
Contact your local distributor for pricing.



UG80
W70 D60 H90cm
86.4 kg daily at 21°/10° C
67.5 kg daily at 32°/21° C

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
UGP0080A-251Z	gourmet	air	230v/50/Hz/1	72 kg / 159 lbs	\$3,765	UG080A-251
UGF0080A-261Z	gourmet	air	208-230v/60Hz/1	72 kg / 159 lbs	\$3,765	N/A

Ice Storage Capacity 44 kg
50 Hz Electric Connection Options : Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug
60 Hz models offered in Z for Bare Lead. Price list performance rating is 50hz data. Refer to individual 60hz spec sheets for 60hz performance rating.
Use cleaner (000006036) only with this model.
Not for use with iAuCS cleaning system. Optional Leg Kit K00345001
Contact your local distributor for pricing.




iP0320
W 55.9 D 62.2 H 54.6 cm
145 kg daily at 21/10 C
108 kg daily at 32/21 C

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDP0320A-251*	dice	air	230v/50/Hz/1	62 kg / 137 lbs	\$7,271	N/A
IYP0320A-251	1/2 dice	air	230v/50/Hz/1	64 kg / 138 lbs	\$7,271	IYP0324A-251

R290 Propane Refrigerant

IDP0500A-251*	dice	air	230v/50/Hz/1	65 kg / 144 lbs	\$8,116	N/A
IYP0500A-251	1/2 dice	air	230v/50/Hz/1	66 kg / 146 lbs	\$8,116	IYP0504A-251

R290 Propane Refrigerant



iP0500
W 76.2 D 62.2 H 54.6
200 kg daily at 21/10 C
163 kg daily at 32/21 C

*Daily ice production estimated based on 50 Hz, 1/2 dice air cooled condenser model at air temperature/ water temperature indicated. For actual, reference spec sheet.

BIN ADAPTERS & ICE DEFLECTOR KITS

Kit	Adaption	Shipping Weight	Suggested List Price
K00195	Bin Adapter: for 22"/55.9cm IB series ice machines on a 22"/55.9cm D320 or D420 or 22"/55.9 cm Hotel Dispenser	10 lb / 5g	\$388
K00196	Bin Adapter: for 22"/55.9cm IB series ice machines on a 30"/72.6cm D400 or D570 or a 30"/72.6 cm Hotel Dispenser	15 lb /7g	\$420
K00472	Bin Adapter: for 22"/55.9 cm IndigoNXT, RFF, RNF ice machines on a 30/70.6cm D 400, 570 or 30"72.6cm Hotel Dispenser. Not for IB	8 lb / 4kg	\$348
K00473	Bin Adapter: for 22"/55.9cm Indigo NXT , RFF, RNF on a D970 bin. Not forIB	35 lb / 16 kg	\$584
K00371	Bin Adapter: for two 22"/55.9cm RFF or RNF on a D970. (Water cooled or Quiet Qube)	8 lb / 4kg	\$312
K00470	Bin Adapter: for 30"/76.2 cm Indigo NXT, RFF, RNF ice machines on a 48"/121.9cm D970 bin	34 lb / 15 kg	\$584
K00471	Front and center deflector for 30"/76.2 dual ice machines, IF1400C and IF1800C on a 48" /121.9cm D08- bin. (Must also use the K00470) Remove the existing deflector in the D970 prior to installing	13 lbs/6 kg	\$348
K00382	Ice deflector required for : 30" (72.6cm) for iF1400C, iF1800C, on non-Manitowoc LB & F-style bin	8 lbs / 4kg	\$215
K00383	Ice deflector required for : two 30"/72.6cm for iF1400C ,iF1800C on a non-Manitowoc or LB & F-style bin	18 lb / 8 kg	\$359
K00347	Ice Deflector required for 30"/76.2 cm Indigo NXT with front facing evaporators on a non-Manitowoc or LB & F-style bin	5 lb / 3 kg	\$213
K0034900	Ice deflector required for 48" /121.9 cm Indigo NXT on a non-Manitowoc or LB & F-style Bin	10 lb / 5 kg	\$251
K00391	Ice deflector set required for S3000 ice machine on a non-Manitowoc or 48" /121.9cm or 60" /152.4cm LB & F-style Bin	18 lb / 8 kg	\$697
K00420	Filler Panel Kit allows 22"/55.9cm RNF1020C to be places on a F-style bin with 30"/76.2 cm opening (for use with adapter included with bin)	5 lb /3 kg	\$218
K00421	Filler Panel kit allows for two side by side 22" /55.9 cm RNF1020C to be place on a F -style bins with 60"/152.4cm opening	5 lb / 3 kg	\$218
K302200	Bin adapter for 22" /55.9cm RFF or RNF on a F700 bin	40 lb / 18 kg	\$1,037
K303000	Replacement bin adapter for 30"/76.2 cm Indigo NXT Series Cuber on a F700 bin (Included with bin)	45 lb / 20 kg	\$1,114
K483048	Replacement bin adapter for 30"/76.2 cm and 48"/121.9cm Indigo NXT Series Cuber on a F1300 bin (Include with bin)	45 lb / 20 kg	\$1,113
K603048	Replacement bin adapter for 30"/76.2 cm and 48"/ 121.9 cm Indigo NXT Series Cuber on a F1325 or F1650 bin (included with the bin)	52 lb / 24 kg	\$1,290
K604800	Bin Adapter for SF3000C & ST3000W on a F1325 or F1650 bin	52 lb / 24 kg	\$1,456
K603030	Bin Adapter for two 30"/ 76.2 cm Indigo NXT Series Cubers Side by Side on a F1325 or F1650 bin (remote or water cooled)	52 lb / 24 kg	\$1,290
K613048	Replacement bin adapter for 30"/76.2 cm and 48"/ 121.9 cm Indigo NXT Series Cuber on a FC1350 bin (included with the bin)	60 lb / 27 kg	\$1,749
K614800	Bin Adapter for SF3000C & ST3000W on a FC1350 bin	60 lb / 27 kg	\$1,949
K613030	Bin Adapter for two 30"/ 76.2 cm Indigo NXT Series Cubers Side by Side on a FC1350 bin (remote or water cooled)	60 lb / 27 kg	\$1,749
K00396	Filler Panel for SF3000C or ST3000W on a LB1448	5 lb /3 kg	\$218
K00513	Required Ice deflector required for : 30" (72.6cm) for iF1400C, iF1800C, on non-Manitowoc LB1448, 1460, 1760	5 lb /3 kg	\$218
K00506	Replacement filler panels for 22 inch machine on a LB0730 (included with bin)	5 lb /3 kg	\$254
K00507	Replacement filler panels for 30 inch machine on a LB1448/1460/1760 (included with bin)	5 lb /3 kg	\$283
K00508	Replacement filler panels for 22 inch machine on a LB1448/1460/1760 (included with bin)	5 lb /3 kg	\$254
K00509	Replacement filler panels for 30 inch machine on a LB1448/1460/1760 (included with bin)	5 lb /3 kg	\$283
K00510	Replacement filler panels for 22 inch machine on a LB1448/1460/1760 (included with bin)	5 lb /3 kg	\$254
KLB302230	Replacement bin adapter for 22" /55.9cm and 30"/76.2cm Indigo NXT, RFF or RNF on a LB730 bin (included with bin)	40 lb / 18 kg	\$1,160
KLB483048	Replacement bin adapter for 22"/55.9 cm, 30" / 76.2 cm or 48" /121.9 cm Indigo NXT cuber RFF, RNF on LB1448 (included with bin)	45 lb / 20 kg	\$1,255
KLB482214	Required Bin adapter for 2-22"/ 55.9 Ice Beverage (IB) side by side on a LB1448	45 lb / 20 kg	\$1,645
KLB603048	Replacement bin adapter for 22"/55.9cm or 30"/76.2 cm Indigo NXT, RFF and RNF and 48"/121.9 cm Indigo NXT cuber on LB1460 or LB1760 (included with bin)	52 lb / 24 kg	\$1,255
KLB604800	Required Bin adapter for SF3000C & ST3000W on a LB1460 or LB1760 bin	74 lb / 34 kg	\$1,645
KLB602222	Required Bin adapter for 2-22" / 55.9 cm side by side Quite Qube Indigo NXT, RFF or RNF, water cooled Indigo NXT, RFF or RNF or Indigo NXT air cooled with top air discharge on a LB1460 or LB1760	52 lb / 24 kg	\$1,645
KLB602214	Required Bin adapter for 2-22" / 55.9 cm Ice Beverage (IB) side by side on a LB1460 or LB1760	52 lb / 24 kg	\$1,645
KLB603030	Required Bin adapter for 2-30"/76.2cm Indigo NXT side by side on LB1460 or LB1760 bins (remote, water cooled or Top Air discharge	60 lb / 27 kg	\$1,289
KLB613048	Replacement bin adapter for 22"/55.9cm 30"/76.2 cm or 48"/121.9 cm Indigo NXT RNF or RNF on a LB1448 (included with bin)	60 lb / 27 kg	\$1,255
KLB614800	Required Bin adapter for SF3000C & ST3000W on a LB1448 bin	77 lb / 35 kg	\$1,738
KLB612214	Required Bin adapter for 2-22" / 55.9 cm side by side Ice Beverage (IB) on a LB1448 bin	60 lb / 27 kg	\$1,738
KLB612222	Required Bin adapter for 2-22" / 55.9 cm side by side Quite Qube Indigo NXT, RFF or RNF, water cooled Indigo NXT, RFF or RNF or Indigo NXT air cooled with top air discharge on a LB1448 bin	60 lb / 27 kg	\$1,738
KLB613030	Required Bin adapter for 2- 30"/76.2cm Indigo NXT, RFF or RNF side by side on a LB1448 bins (remote, water cooled or Indigo NXT with Top Air discharge)	60 lb / 27 kg	\$1,738

MISCELLANEOUS

Kit	Description	Shipping Weight	Suggested List Price
K00457	DISPENSER THERMOSTAT KIT - For use with S-Series. For use on Soda dispensers only. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating. Replaces K00364.	3 lbs / 1 kg	\$396
K00446	DISPENSER THERMOSTAT KIT - For use with Indigo Series only on Soda dispensers . An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	4 lb / 2 kg	\$256
K00477	DISPENSER THERMOSTAT KIT - For use with Indigo NXT series only on soda dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	4 lbs / 2 kg	\$256
K00456	DISPENSER THERMOSTAT KIT - For use with Indigo Series only on Freestyle beverage dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	3 lbs / 1 kg	\$248
K00478	DISPENSER THERMOSTAT KIT - For use with Indigo NXT Series only on Freestyle beverage dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	3 lbs / 1 kg	\$248
K00488	DISPENSER THERMOSTAT KIT - Dispenser Thermostat Kit - for use with nugget machines on soda dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating	3 lbs / 1 kg	\$396
K00210	DISPENSER BAFFLE - required for 30" / 76.2 cm Q-Series Manitowoc ice machine on non-Manitowoc and Q-dispensers. (Q-dispensers include this adapter.)	3 lbs / 1 kg	\$87
K00346	DISPENSER BAFFLE - required for use with any Manitowoc 30" / 76.2 cm Indigo NXT Series ice machine in a Soda dispensers application. Dispenser baffle is included with S- Series Hotel dispensers, no need to order NOT required for iF1400C and iF1800C.	3 lbs / 1 kg	\$87
K0034800	DISPENSER BAFFLE - required for use with any Manitowoc 22" / 55.9 cm Indigo NXT Series ice machine in a Soda dispensers application. Dispenser baffle is included with S-Series Hotel dispensers, no need to order.	3 lbs / 1 kg	\$97
K00395	S3000 BIN THERMOSTAT KIT - For use with S3000	3 lbs / 1 kg	\$572
K00497	TOUCHLESS LEVER ACTIVATED ICE CHUTE - Updates the Push to Touch SPA's and SFA's to Touchless. Use for buckets, tumblers and water bottles.	3 lbs / 1 kg	\$195

BIN ADAPTER & ICE DELFECTOR KITS FOR CURRENT MODEL ICE MACHINES

	MACHINES	IT0420 IT0620	IT0300	IT0450 IT0500 IF0500N	IF0600N IF0900N IT0750 IT0900	IT1200	IT1500 IT1900
D320	1		N.A.	N.A.	N.A.	N.A.	N.A.
D400	1	K00472					N.A.
D420	1		N.A.	N.A.	N.A.	N.A.	N.A.
D570	1	K00472					N.A.
D970	1	K00473	K00470	K00470	K00470	K00470	N.A.
	2	K00371	N.A.	N.A.	N.A.	N.A.	N.A.
F700 / LB0730	1	N.A.	N.A.	N.A.	K00347	K00347	N.A.
F1300 / LB1448	1	N.A.	N.A.	N.A.	K00347	K00347	K0034900
F1325 / LB1460	1	N.A.	N.A.	N.A.	K00347	K00347	K0034900
F1650 / LB1760	1	N.A.	N.A.	N.A.	K00347	K00347	K0034900
FC1350 / LBCS1360	1	N.A.	N.A.	N.A.	K00347	K00347	K0034900
SPA160/162, SFA 191/192	1		N.A.	N.A.	N.A.	N.A.	N.A.
SPA310/312, SFA 291/292	1	K0034800 & K00472				N.A.	N.A.

N.A. means not a practical application or no adapter option available

ICE MACHINE

	MACHINES	IF0600C IF0900C IT1200C	IF1400C & IF1800C	IBF0620C IFB0820C IBT1020C	RNF,RFF0320 RNF,RFF0620 RNF1020C RFF1220C	RFF1300 RNF1100 RNF2000C RFF2200C	ST3000W & SF3000C
D320	1	N.A.	N.A.	K00195		N.A.	N.A.
D400	1		N.A.	K00196	K00472	N.A.	N.A.
D420	1	N.A.	N.A.	K00195		N.A.	N.A.
D570	1		N.A.	K00196	K00472	N.A.	N.A.
D970	1	K00470	K00470 & K00471	N.A.	K00473	K00470	N.A.
	2	N.A.	N.A.	N.A.	K00371	N.A.	N.A.
F700	1	K00347	K00382	N.A.	K302200		N.A.
LB0730	1	K00347	K00382	N.A.			N.A.
F1300	1	K00347	K00382	N.A.	N.A.		K00391
LB1448	1	K00347	K00513	N.A.			K00391 & K00396
	2	N.A.	N.A.	KLB482214	N.A.	N.A.	N.A.
F1325 F1650	1	K00347	K00382	N.A.			K00391 & K604800
	2	K00347(2) & K603030	K00383(2) & K603030	N.A.	K00421 & K603030	K603030	N.A.
LB1460 LB1760	1	K00347	K00513	N.A.			K00391 & KLB604800
	2	K00347(2) & KLB603030	K00383(2) & KLB603030	KLB602214	KLB602222	KLB603030	N.A.
FC1350	1	K00347	K00382	N.A.			K00391 & K614800
	2	K00347(2) & K613030	K00383(2) & K613030	N.A.	K00421 & K613030	K613030	N.A.
LBCS1360	1	K00347	K00382	N.A.			K00391 & KLB614800
	2	K00347(2) & KLB613030	K00383 (2) & KLB613030	KLB612214	KLB612222	KLB613030	N.A.
SPA160/162, SFA 191/192	1	N.A.	N.A.	K00195	N.A.	N.A.	N.A.
SPA310/312, SFA 291/292	1	N.A.	N.A.	K00196	N.A.	N.A.	N.A.
NON-MANITOWOC DISPENSERS	1	K00346 (baffle)	N.A.	N.A.	N.A.	N.A.	N.A.

Note: Adapter included with single head application unless otherwise indicated.

Deflectors are required for F and LB bins.

N.A. means not a practical application or no adapter option available

BIN ADAPTERS & ICE DEFLECTORS

Accessory prices are now included in the Standard Equipment Suggested Price List.

ACCESSORIES

iAuCS® AUTOMATIC CLEANING SYSTEM

Kit	Description	Shipping Weight	Suggested List Price
iAuCS-161 iAuCS-261	Automatic Cleaning System Accessory for all Indigo and Indigo NXT Series ice machines 300 to 2100. Cannot be used with Indigo IB Series, S-Series, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005162 or 000005164. Installed outside of machine but electrical is supplied from the machine. When ordering, indicate electrical requirements; 115 volt 60 Hz –iAuCS-161, and 230 volt 60 Hz – iAuCS-261.	11 lb / 5 kg	\$943
iBAuCS-161	Automatic Cleaning System Accessory for Indigo IB Series ice machines: IBF0620C, IBF0820C, IBT1020C. Cannot be used with Indigo Series ice machines 300 to 2100, S-Series, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005162 or 000005164. Installed outside of machine. Electrical requirements 115 volt 60 Hz. Includes 10' power cord with NEMA 5-15P plug.	11 lb / 5 kg	\$943

Note: iAuCS Automatic Cleaning System cannot be used with flake and nugget ice machines.

LUMINICE® II VIRUS AND BACTERIA INHIBITOR

Kit	Description	Shipping Weight	Suggested List Price
K00450	LuminIce II Virus and Bacteria Inhibitor kit for Indigo units i300 to i1106 and QQ models.	5lbs/2.2kg	\$691
K00452	LuminIce II Virus and Bacteria Inhibitor kit for NEO Undercounters UF0140 to UF0310	11lbs/5kg	\$691
K00464	LuminIce II Virus and Bacteria Inhibitor kit for Indigo NXT models: iT0300,iT420,iT620,iT450,iT500,IF0600, iF0900, iT1200 and QQ iF0600C, iF0900C, iT1200C	5lbs/2.2kg	\$691
K00465	LuminIce II Virus and Bacteria Inhibitor kit for Indigo NXT models: iT1500 & iT1900 and IBF0620C, IBF0820C, IBT1020C and iF1400C, iF1800C (Indigo NXT 48", IB's, Duals)	5lbs/2.2kg	\$691
K00474	Converts K00450 or K00451 to work with appropriate Indigo NXT model	.5 lbs/ .23kg	\$22
K00425	Replacement LuminIce bulb for Luminice first generation only (bulb with white end caps) Indigos built prior to July 1, 2015.	.5 lbs/ .23kg	\$116
K00454	Replacement LuminIce II bulb for Luminice II only (bulb with blue end caps) Indigos and Indigo NXT built after July 1, 2015	.5 lbs/ .23kg	\$116
K00455	Remote Luminice II external LED indicator- for Luminice II and Indigo only	.5 lbs/ .23kg	\$63

Selected models can be ordered from the factory with the kit already installed. (See model price pages) Other Indigo® NXT models and all Neo® models can have the LuminIce II kit added after market. Parts (non "K" kits) must be ordered through distributors.

LIQUID DESCALER AND SANITIZER FOR CUBER MACHINES

Kit	Description	Shipping Weight	Suggested List Price
000005162	Liquid Descaler: 16 oz/.47 liter bottle (sold in cases of 12)	16 lbs / 7 kg	SEE PARTS
000005164	Liquid Sanitizer : 16 oz / .47 liter bottle (sold in cases of 12)	16 lbs / 7 kg	SEE PARTS
94-0580-3	Liquid Descaler: 1 gallon / 3.78 L (sold in cases of 4)	42 lbs / 19 kg	SEE PARTS
94-0581-3	Liquid Sanitizer : 1 gallon/3.78L (sold in cases of 4)	42 lbs / 19 kg	SEE PARTS

Liquid Descaler and Sanitizer for SM-50, Continuous Machines (Flake, Nugget, CNF)

000006036	Liquid Metal-safe Descaler 16 oz/.47 liter bottle(sold in cases of 12) Hazardous labeling for International Shipments	16 lbs / 7 kg 16 lbs / 7 kg	SEE PARTS
000000084	Liquid Metal-safe Descaler 16 oz/.47 liter bottle(sold in cases of 12) Non-Hazardous labeling for US Shipments only	16 lbs / 7 kg 16 lbs / 7 kg	SEE PARTS
000005164	Liquid Sanitizer: 16 oz / .47 Liter bottle (Sold in case of 12) hazardous labeling for international shipment	16 lbs / 7 kg	SEE PARTS

POWDER DESCALER AND RINSE FOR CUBER MACHINES- AMERICAS MARKETS

Kit	Description	Shipping Weight	Suggested List Price
000016265	Powder Descaler: 3 oz/ 85 g (sold in cases of 48 packets) E/S/F	11 lbs / 4 kg	\$10.75
000016278	Powder Rinse: 1.2 oz / 34 g (sold in cases of 48 packets) E/S/F	6 lbs / 3 kg	\$9.75
000016287	Powder Descaler Starter Kit (Sold in cases of 6 boxes)	7 lbs / 3 kg	\$106.00
000016291	Powder Rinse Starter kit: (Sold in cases of 6 boxes)	5 lbs / 2 kg	\$106.00

Starter kits include: 8 packets, Mixing vessel with lid, instruction sheet. Language: English/Spanish/French

POWDER DESCALER AND RINSE FOR CUBER MACHINES- INTERNATIONAL MARKETS

000016272	Powder Descaler: 3 oz/ 85 g (sold in cases of 48 packets) C/K/E	11 lbs / 4 kg	\$10.75
000016283	Powder Rinse: 1.2 oz / 34 g (sold in cases of 48 packets) C/K/E Hazardous labeling for Air Shipments - Language Chinese/Korean/English	6 lbs / 3 kg	\$9.75
000016525	Powder Descaler: 3 oz/ 85 g (sold in cases of 48 packets) E/C/K	11 lbs / 4 kg	\$10.75
000016528	Powder Rinse: 1.2 oz / 34 g (sold in cases of 48 packets) E/C/K Hazardous labeling for Air Shipments - Language English/ Chinese/Korean	6 lbs / 3 kg	\$9.75



CleanAir™ Pack			
Kit	Description	Shipping Weight	Suggested List Price
K00206	6 ea. replacement packets, 1ea basket, zip ties. For use in Q and S-Series ice machines only. Cannot be used with SF3000C, S3000, Indigo, nugget, flake, or undercounter ice machines.	1 lb / .5 kg	\$309



Arctic Pure Plus - Water Filter (Available Q2 2021)			
Model	Description	Shipping Weight	Suggested List Price
AR-Pre-P	Arctic Pure Plus: Pre-filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. Use on all machines	21 lbs/10 kg	\$374
AR-10000-P	Arctic Pure Plus: Primary filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. See sizing guide.	25 lbs/ 11 kg	\$519
AR-20000-P	Arctic Pure Plus: Primary filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. See sizing guide.	20 lbs/ 9 kg	\$887
AR-40000-P	Arctic Pure Plus: Primary filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. See sizing guide.	24 lbs/ 11kg	\$1,339

Arctic Pure Plus Water Filter Systems are sold in master packs of six (6)

K00496	AR-PRE-P replacement cartridge (sold in case of 12)	22 lbs /10 kg	\$1,472
K00493	AR-10000-P replacement cartridge (sold in case of 12)	29 lbs/ 13 kg	\$1,586
K00494	AR-20000-P replacement cartridge (sold in case of 12)	19 lbs/9 kg	\$2,070
K00495	AR-40000-P replacement cartridge (sold in case of 12)	27 lbs/12kg	\$3,214



Arctic Pure - Water Filters			
Model	Description	Shipping Weight	Suggested List Price
AR-Pre	Pre-filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. Use on all machines	25 lbs/ 11 kg	\$363
AR-10000	Primary filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. See sizing guide.	20 lbs/ 9 kg	\$504
AR-20000	Primary filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. See sizing guide.	24 lbs/ 11kg	\$861
AR-40000	Primary filter assembly includes head, shroud, hardware, mounting assembly and one filter cartridge. See sizing guide.	5 lbs / 2kg	\$1,465

Arctic Pure Water Filter Systems are sold in master packs of six (6) AR40000 sold individually


K00374001	AR2800 replacement cartridge (sold in case of 12) Use on SMS050A002	11 lbs / 5kg	\$1,106
K00337	AR-PRE replacement cartridge (sold in case of 12)	22 lbs/10 kg	\$1,472
K00338	AR-10000 replacement cartridge (sold in case of 12)	33 lbs / 15 kg	\$1,586
K00339	AR-20000 replacement cartridge (sold in case of 6)	10 lbs /4 kg	\$1,035

WATER FILTER SIZING GUIDE

Filter Systems - (Replacement Cartridges)	AR-PRE (K00337) AR-PRE-P (K00496)	AR-10000 (K00338) AR-10000-P (K00493)	AR-20000 (K00339) AR-20000-P (K00494)	AR-40000 (2-K00339) AR-40000-P (K00495)
All Under Counters (Cubers, Flakers & Nuggets) Counter Top Nugget	X	X		
Modular Cubers: IT0300-IT750, IBF0620 Modular Flaker: RFF0320 Modular Nugget: RNF320	X	X		
Modular Cubers: IT0900, IBF0820C & IBT1020C Modular Flaker: RFF0620 RFF1220C, RFF1300 Modular Nuggets: RNF0620, RNF1020C, RNF1100	X		X	
Modular Cubers: IT1200, IT1500 & IT1900, IF1400C & IF1800C Modular Flaker: RFF2200C Modular Nugget: RNF2000C	X			X

NOTE: ARTIC PURE PLUS AND ARTIC PURE CARTRIDGES ARE NOT COMPATIBLE

ACCESSORIES



CONVENIENT ICE BAGGER

Kit	Description	Shipping Weight	Suggested List Price
K00146	Ice bagger assembly, includes bagger, B-Model bin adapter, and 250 bags and ties. Stainless steel finish.	25 lb / 11 kg	\$793
K00068	Replacement Bags/Ties Bag Kit - includes 1,000 bags (4 wickets of 250) and ties.	34 lb / 15 kg	\$454

ICE SCOOP

Kit	Description	Shipping Weight	Suggested List Price
3302583	6 oz./18L clear scoop for QM and SM Series (each)	2 lb / 1 kg	see parts price list
040002930	22 oz./65L blue scoop (Used with Neo undercounter units.)	3 lb / 1 kg	
3302603	32 oz./95L white scoop (each) (Used for B170 and Q-Series undercounter units.)	3 lb / 1 kg	
3302593	82 oz./2.4L white scoop (each) (Used for ice bin D320 and up.)	5 lb / 2 kg	
000015595	5.3 lb / 2.4 kg capacity, NSF approved, blue ABS plastic with knuckle guard, works inside D-Bin or with optional K00461 External Scoop Holder	5.3 lb / 2.4 kg	
K00463	5.3/lbs/2.4kg capacity NSF approved aluminum with knuckle guard. Has limited lifetime guarantee. Works inside D-bins or with optional K00461 External scoop holder	11 / lb / 5 kg	\$151

EXTERNAL SCOOP HOLDER

Kit	Description	Shipping Weight	Suggested List Price
K00461	Protects the ice scoop outside the bin. NFS versatile holder can be configured 7 ways on the bin or wall. Use with 000014199 scoop that comes with D-Bins, aluminum scoop K00463	11 / lb / 5 kg	\$174
K00482	Hanger for F-bins to be used with the K00461 External scoop holder (to work on F-Bins, must be purchased with K00461)	5 lb / 2 kg	\$42
K00485	Merchandising kit. Includes 6- K00461 External scoop holders and 4-K00463 Metal Scoops with a pop up merchandiser all in one package	42 lbs / 19 kg	\$1,649
K00511	Cardboard Merchandiser only "Sanitation Station" for retail display of sanitation products	12 lbs / 6 kg	\$45

DRAIN PUMP

Kit	Description	Shipping Weight	Suggested List Price
K00376	Drain Pump for SM50A. Used where gravity drain not available. 12 ft / 3.6 m rise and 100 ft / 30 m run maximum.	7 lb / 3 kg	\$662

LEGS & CASTERS

Model	Description	Shipping Weight	Suggested List Price
K00063	2.5" / 6.35 cm Casters. For use with NEO, Q-Series (not QM or UDE), and B170 bin. 4 ea. non-locking swivel.	2 lb / 1 kg	\$345
K00064	2.5" / 6.35 cm Casters. For use with NEO, Q-Series (not QM or UDE), and B170 bin. 2 ea. locking swivel and 2 ea. non-locking swivel.	2 lb / 1 kg	\$374
K00153	4.625" / 11.75 cm Adjustable Flange Foot - stainless steel (Use with Bins only)	5 lb / 2 kg	\$293
K00176	4" / 10.16 cm leg for UDE0065/80 - black painted	3 lb / 1 kg	\$157
K00215	UDE Series leveler legs, adjusts from .5"-1.25" / 1.27-3.175 cm - 1/2-13 thread	1 lb / 1 kg	\$76
K00137	6" / 15.24 cm Adjustable Flange Foot - stainless steel for S, B and D Series bins	6 lb / 3 kg	\$293
K00151	6" / 15.24 cm Adjustable Flange Foot- Gray painted for S bins and Neo under counters	5 lb / 2 kg	\$171
K00145	6" / 15.24 cm Adjustable Secured Flange Foot - stainless steel (Use with B-Bins only) includes latch bracket #6072421	6 lb / 3 kg	\$399
K00144	12" / 30.48 cm Adjustable Flange Foot - stainless steel. Can use with Neo undercounter machines and B170 and B&D 400 Bin. Not for use with 22" / 52.9 cm	8 lb / 4 kg	\$399
K00138	Adjustable Caster Legs, 7.625-8.625" / 19.4 - 21.9 cm - stainless steel. Not for use with 22" / 52.9 cm unit, or any stacked units, dispensers, QM's, UDE or RFF or RNS units.	16 lb / 7 kg	\$820
K00350	6" / 15.24 cm Adjustable Legs - stainless steel standard on B&D Series bins.	5 lb / 2 kg	\$139
K00345001	Leg kit for SM50 & CNF201/202 series ice machines. Adjustable 4.5" to 6.4" / 11.43-16.51 cm.	3 lb / 1 kg	\$141
K00445	1.125" / 2.9 cm Non-adjustable foot. For use with NEO.	2 lb / 1 kg	\$77
K00462	Secure fastening kit, includes 6" / 15.24cm adjustable flanged foot, stainless steel with latching hardware. Use with D-Bins and Indigo units only	6 lb / 3 kg	\$495

Parts (non "K" kits) must be ordered through distributors.

About Manitowoc Ice Machines



AHRI Certified- Manitowoc Ice Machines and D-Bins are certified by The American Heating and Refrigeration Institute. (AHRI) This means the data we published is validated to be true based on ASHRAE standards. Our certified products are continually tested by an independent third party laboratory to validate our products perform to the ratings or specifications published. Rest assured, products that carry the AHRI label comply to their publish specification. (AHRI rates ice machine performance is rated at the 90 ambient temperature and 70 water temperature. Bin capacity rating is measured by the cubic volume of the interior of the bin.



ENERGY STAR - Manitowoc Ice is an avid supporter of the EPA's voluntary Energy Star program. We believe in making energy star approved ice machines are not only good for the environment but it makes good business sense. In fact, we have more energy star models than any other ice machine manufacture. Moreover, Manitowoc Ice has been recognized by the Energy Star program as a Sustained Excellence Partner, winning "Partner of the Year" for 12 consecutive years. Look for the * next to the price to indicate whether a model is Energy Star qualified, then check with your local dealer if it is rebate eligible.



Best in Class - Foodservice Equipment & Supplies (FE&S) magazine conducts an annual survey among its subscribing foodservice operators, dealers, and consultants asking them to evaluate ice machines in the categories of: quality, value, design, service and support, sales and support, inventory and availability. For 17 consecutive years Manitowoc Ice has been voted best in class. Don't take our word for it; take it from the people who know ice machines.



Kitchen Innovation Award 2019 - Indigo NXT, was awarded the 2019 Kitchen Innovation Award from the National Restaurant Association . This prestigious award recognizes Indigo NXT for its innovation, efficiencies and productivity.



Intelligent ice machine- Manitowoc Indigo NXT with its easyTouch display is the only ice machine that offers a touch display providing the user and service agent with vital information to facilitate the set up and operation of the equipment. The display provides 4 main statuses: Making Ice, Bin Full, Machine Off or Program Mode. All the asset information can be obtained with one touch of an icon. Set up reminders to clean, change the air and water filters can be programmed easily into the machine. You can program the machine NOT to make ice when the store is closed or during the hours of the day of higher energy costs. The self diagnostic feature stores vital information for the service agent to access, so when they arrive, they have a good idea of the problem. This makes servicing easier, reduces labor costs and reduces machine down time.



Easy to Clean- Manitowoc Indigo Machines are the easiest ice machines in the industry to clean. All the component parts that require a deep cleaning can be removed without the use of tools. This includes the water trough as well as the water pump. Selected components contain Alpha San- Antimicrobial compound molded into the plastic to reduce slime build up.



Energy Efficient- Having the most Energy Star models is a result of advance technologies that allow the Indigo NXT ice machine to work efficiently. Innovations like Air Assist which accelerates the ice harvest process and the Acoustical Ice Sensing probe allows for reliable operation in challenging water conditions. Air Assist and Acoustical Ice sensing are patent technologies only found on Manitowoc Indigo machines.



LuminIce II Virus and Bacteria Inhibitor- Manitowoc Indigo NXT and Neo machines offer the LuminIce II Virus and Bacteria Inhibitor device that runs quietly 24/7 keeping your ice machine cleaner longer. Less frequent cleanings saves labor, reduces cost and machine downtime. The device is particularly effective in environments where yeast is in the air (sandwich shops, bakeries, pizzerias, micro-breweries) because the LuminIce II device uses a UV bulb to create active air that inhibits the growth of viruses, bacteria, mold and yeast inside the machine. The device is mounted inside the machine, and is integrated with the easy Touch Display with an icon that lets you know the operational status.



Automatic Cleaning System – (iAUCS) - Manitowoc Ice automatic cleaning system is a perfect complement to the LuminIce II virus and bacteria inhibitor. Using the easyTouch display on the Indigo NXT Ice machine, program the time interval to either clean or sanitize the food zone automatically. No manual intervention is required. This is especially effective in areas of hard water, where periodic cleaning of the evaporator will keep the evaporator free of lime scale build up. (Note, iAUCS will not eliminate the need to do a deep cleaning periodically) but will keep your machine running at peak efficiency and cleaner longer).

Scan the code below to locate a dealer, distributor or sales representative in your area.



www.manitowocice.com/Sales/Sales-Locators#Sales-Locator



Welbilt offers fully-integrated kitchen systems with award-winning product brands: **Cleveland™**, **Convotherm®**, **Crem™**, **Delfield®**, **Frymaster®**, **Garland®**, **Kolpak®**, **Lincoln®**, **Manitowoc® Ice**, **Merco®**, **Merrychef®** and **Multiplex®**. Supported by service brands: **KitchenCare®**, aftermarket parts and service; **FitKitchen®**, fully-integrated kitchen systems; and **KitchenConnect®**, cloud-based open digital platform.

Bringing innovation to the table • **welbilt.com**